

REPUBLIC OF THE PHILIPPINES NATIONAL POWER CORPORATION

(Pambansang Korporasyon sa Elektrisidad)

BID DOCUMENTS

Name of Project: SUPPLY, DELIVERY, INSTALLATION, TEST AND

COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM

OFFICES UNDER PR NO. HO-FFW25-014

Project Location: Angat Dam Office, Norzagaray, Bulacan

Binga Dam Office, Itogon, Benguet Caliraya Dam Office, Cavinti, Laguna

San Roque Dam Office, San Manuel, Pangasinan

Specs. No. : LuzP25Z1848Se

Contents

SECTION I - INVITATION TO BID

SECTION II - INSTRUCTION TO BIDDERS

SECTION III - BID DATA SHEETS

SECTION IV - GENERAL CONDITIONS OF THE CONTRACT SECTION V - SPECIAL CONDITIONS OF THE CONTRACT

SECTION VI - TECHNICAL SPECIFICATIONS

PART I – TECHNICAL SPECIFICATIONS
PART II – TECHNICAL DATA SHEETS

SECTION VII - SCHEDULE OF REQUIREMENTS

(BID PRICE SCHEDULE)

SECTION VIII - BIDDING FORMS

Design and Development Department



BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

LuzP25Z1848Se

SECTION I - INVITATION TO BID

SECTION I

INVITATION TO BID





National Power Corporation INVITATION TO BID PUBLIC BIDDING – BCS 2025-0347

The NATIONAL POWER CORPORATION (NPC), through its approved Corporate Budget
of CY 2025 intends to apply the sum of (Please see schedule below) being the Approved Budget
for the Contract (ABC) to payments under the contract. Bids received in excess of the ABC shall be
automatically rejected at Bid opening.

PR Nos./PB Ref No. & Description	Similar Contracts	Pre-bid Conference	Bid Submission / Opening	ABC/ Amt. of Bid Docs
HO-FFW25-014 / PB250715-DM00232 Supply, Delivery, Installation, Test and Commissioning of Ten (10) Inverter Air-Conditioning (A/C) Units of Various Types and Capacities for Flood Forecasting and Warning System Division (FFWSD) Dam Offices	Supply, Delivery and Installation of Airconditioning Units	01 July 2025 9:30 A.M.	15 July 2025 9:30 A.M.	₱ 1,230,000.00 / ₱ 5,000.00

Venue: Kañao Function Room, NPC Bldg. Diliman, Quezon City

2. The NPC now invites bids for Items listed above. Delivery of the Goods is required (see table below) specified in the Technical Specifications. Bidders should have completed, within (see table below) from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. (Instruction to Bidders).

PR No/s. / PB Ref No/s.	Delivery Period / Contract Duration	Relevant Period of SLCC reckoned from the date of submission & receipt of bids
HO-FFW25-014	Sixty (60) Calendar Days	Five (5) Years

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

- 4. Prospective Bidders may obtain further information from National Power Corporation, Bids and Contracts Services Division and inspect the Bidding Documents at the address given below during office hours (8:00AM to 5:00PM), Monday to Friday.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders from the given address and website(s) and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB. Payments via check, the payee should be: NPC Bid Document Transactions. <u>Bidding fee may be refunded in accordance with the guidelines based on the grounds provided under Section 41 of R.A. 9184 and its Revised IRR.</u>
- The National Power Corporation will hold a Pre-Bid Conference on the date, time and venue stated above. Interested bidder/s is/are allowed to join and participate in the Pre-Bid Conference at the Kañao

Room or virtually. However, those attending virtually shall assume the risk of any internet connectivity issues. Further, interested bidders are hereby informed of the following:

- a. Only a maximum of two (2) representatives from each bidder / company shall be allowed to participate
- b. Wearing of Face Masks is recommended but not required in view of Proclamation No. 297 S.2023 lifting the State of Public Health Emergency Throughout the Philippines
- The requirements herein stated including the medium of submission shall be subject to GPPB Resolution No. 09-2020 dated 07 May 2020
- d. The Guidelines on the Implementation of Early Procurement Activities (EPA) shall be subject to GPPB Circular No. 06-2019 dated 17 July 2019
- 7. Bids must be duly received by the BAC Secretariat through (i) manual submission at the office address indicated below; (ii) online or electronic submission before the specified time stated in the table above for opening of bids. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- Bid opening shall be in the Kañao Function Room, NPC Head Office, Diliman, Quezon City and/or via
 online platform to be announced by NPC. Bids will be opened in the presence of the bidders'
 representatives who choose to attend the activity.
- 10. The National Power Corporation reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of R.A. No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Bids and Contracts Services Division, Logistics Department

Gabriel Y. Itchon Building

Senator Miriam P. Defensor-Santiago Ave. (formerly BIR Road)

Cor. Quezon Ave., Diliman, Quezon City, 1100

Tel Nos.: Tel Nos.: 8921-3541 local 5564/

Email: bcsd@napocor.gov.ph /

12. You may visit the following websites:

For downloading of Bidding Documents: https://www.napocor.gov.ph/bcsd/bids.php

LARRY I. SABELLINA

Vice President, MinGen and
Chairman, Bids and Awards Committee

BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION II - INSTRUCTION TO BIDDERS

LuzP25Z1848Se

SECTION II

INSTRUCTION TO BIDDERS



LuzP25Z1848Se

SECTION II - INSTRUCTIONS TO BIDDERS

TABLE OF CONTENTS

Claus	ise No. Title	Page no.
1.	SCOPE OF BID	
2.	FUNDING INFORMATION	1
3.	BIDDING REQUIREMENTS	
4.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE	PRACTICES 1
5.	ELIGIBLE BIDDERS	
6.	ORIGIN OF GOODS	2
7.	SUBCONTRACTS	
8.	PRE-BID CONFERENCE	
9.	CLARIFICATION AND AMENDMENT OF BIDDING DOCUI	MENTS
10.	DOCUMENTS COMPRISING THE BID: ELIGIBILITY AND COMPONENTS	
11.	DOCUMENTS COMPRISING THE BID: FINANCIAL COMP	
12.	BID PRICES	
13.	BID AND PAYMENT CURRENCIES	
14.	BID SECURITY	
15.	SEALING AND MARKING OF BIDS	
16.	DEADLINE FOR SUBMISSION OF BIDS	
17.	OPENING AND PRELIMINARY EXAMINATION OF BIDS	5
18.	DOMESTIC PREFERENCE	<u>.</u>
19.	DETAILED EVALUATION AND COMPARISON OF BIDS	6
20.	POST-QUALIFICATION	6
	SIGNING OF THE CONTRACT	



LuzP25Z1848Se

SECTION II - INSTRUCTIONS TO BIDDERS

1. Scope of Bid

The National Power Corporation (NPC or NAPOCOR) wishes to receive Bids for the SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014, with identification number LuzP25Z1848Se.

The Procurement Project (referred to herein as "Project") is composed of one (1) lot and will be awarded to one (1) Bidder in one complete contract, the details of which are described in Section VI (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for CY 2025 in the amount of ₽ 1,230,000.00.
- 2.2. The source of funding is the Corporate Operating Budget of the National Power Corporation.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.



LuzP25Z1848Se

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership exceeding those allowed under the rules may participate when citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines.

The foreign bidder claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos shall submit a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item/product. The said certification shall be validated during the post-qualification of bidders.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The portions of Project and the maximum percentage allowed to be subcontracted are indicated in the **BDS**, which shall not exceed twenty percent (20%) of the contracted Goods.

- 7.2. The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.3. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or



LuzP25Z1848Se

workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (NPCSF-GOODS-01 - Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within Five (5) Years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.4. The Statement of the bidder's Single Largest Completed Contract (SLCC) (NPCSF-GOODS-03) and List of all Ongoing Government & Private Contracts Including Contracts Awarded but not yet Started (NPCSF-GOODS-02) shall comply with the documentary requirements specified in the <u>BDS.</u>

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (NPCSF-GOODS-01 - Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.



LuzP25Z1848Se

- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the BDS.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the BDS, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the BDS. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the BDS.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.



LuzP25Z1848Se

14.2. The Bid and bid security shall be valid for **One Hundred Twenty (120) calendar** days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit Two (2) copies of the first and second components of its Bid, marked **Original** and photocopy. Only the original copy will be read and considered for the bid.

Any misplaced document outside of the **Original** copy will not be considered. The photocopy is <u>ONLY FOR REFERENCE</u>.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

Bidders must also comply with the Disclaimer and Data Privacy Notice specified in the BDS.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.



LuzP25Z1848Se

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VI (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded to one (1) Bidder in one complete contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

 The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.



BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

LuzP25Z1848Se

SECTION III – BID DATA SHEET

SECTION III

BID DATA SHEET

SECTION III - BID DATA SHEET

LuzP25Z1848Se

SECTION III - BID DATA SHEET

ITB	
Clause	
5.3	For this purpose, similar contracts shall refer to supply, delivery and installation of airconditioning units.
	The Single Largest Completed Contract (SLCC) as declared by the bidder shall be verified and validated to ascertain such completed contract. Hence, bidders must ensure access to sites of such projects/equipment to NPC representatives for verification and validation purposes during post-qualification process.
	It shall be a ground for disqualification, if verification and validation cannot be conducted for reasons attributable to the Bidder.
7.1	Subcontracting may be allowed on transport, local/non-skilled labor under the supervision of the Bidder. The Bidder shall not be relieved from any liability or obligation that may arise from the performance of the Subcontractor.
10.1	The prospective bidder shall submit a valid and updated Certificate of PhilGEPs Registration under Platinum Membership (all pages including the Annex A of the said Certificate). Non-compliance shall be a ground for disqualification.
10.4	The list of on-going contracts (Form No. NPCSF-GOODS-02) shall be supported by the following documents for each on-going contract to be submitted during Post-Qualification :
	Contract/Purchase Order and/or Notice of Award
	Certification coming from the project owner/client that the performance is satisfactory as of the bidding date
	The bidder shall declare in this form all his on-going government and private contracts including contracts where the bidder (either as individual or as a Joint Venture) is a partner in a Joint Venture agreement other than his current joint venture where he is a partner. Non declaration will be a ground for disqualification of bid.
	The Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid (Form No. NPCSF-GOODS-03) shall be supported by the following documents to be submitted during Bid Opening:
	Certificate of Acceptance; or Certificate of Completion; or Official Receipt (O.R); or Sales Invoice
	Any single bidder/s who already procured/secured the bidding documents but want to avail the Joint Venture Agreement (JVA) shall inform the BAC in writing prior to the bid opening for records and documentation purposes.



SECTION III - BID DATA SHEET

LuzP25Z1848Se

10.5	Bidders shall also submit the following requirements in their first envelope, Eligibility and Technical Component of their bid:
	Data and Information to be submitted with the Proposal as specified in Clause TS-7.0(a) of Section VI - Technical Specifications;
	Manufacturer's brochures, catalogues, drawings and other supporting documents of the Air-conditioning units proposed by the bidders must comply with the technical specifications of such Air-conditioning units. It shall be a ground for disqualification if the submitted manufacturer's brochures, catalogues, drawings and other supporting documents are determined not complying with the specifications during technical evaluation and post-qualification process.
	Air-conditioning units proposed by the winning bidder to be supplied, which were evaluated to be complying with the technical specifications, shall not be replaced and must be the same items to be delivered during the contract implementation. Any proposed changes/replacement of said items may be allowed on meritorious reasons subject to validation and prior approval by NPC.
	2. Complete eligibility documents of the proposed sub-contractor, if any
12	The price of the Goods shall be quoted DDP Project Site or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	 a) The amount of not less two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b) The amount of not less than five percent (5%) of ABC, if bid security is in Surety Bond.
15.0	All bid submissions and related correspondences are confidential and for viewing only by the intended recipient/s. Any unauthorized access to review, reproduce, or disseminate the information contained therein is strictly prohibited. The National Power Corporation (NAPOCOR) does not guarantee the security of any information electronically transmitted.
	Bid submissions and related correspondences may contain personal and sensitive personal information, and are subject to the Data Privacy Act of 2012, its implementing rules, regulations and issuances of the National Privacy Commission of the Philippines ("Privacy Laws"). By viewing, using, storing, sharing and disposing (collectively "Processing"), such bids submissions and correspondences, you agree to comply with the Privacy Laws. By responding to correspondence, you consent to the Processing by NAPOCOR of the Personal Data contained in your submission/reply in accordance with NAPOCOR's Personal Data Privacy Policy which you can find at http://www.napocor.gov.ph .

SECTION III - BID DATA SHEET

LuzP25Z1848Se

	To report any privacy issue, contact the Data Privacy Officer at dpo@napocor.gov.ph .
	NAPOCOR is not liable for the proper and complete transmission of the information contained in bid submission/correspondences nor for any delay in its receipt.
19.3	The Goods are grouped together in one (1) lot and will be awarded to one (1) Bidder in one complete contract.
	Partial bid is not allowed. The Goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
	The Bidders bid offer must be within the ABC of the lot.
	Bid offers that exceed the ABC of the lot or with incomplete price, shall be rejected.
19.5	If the Bidder opted to submit a Committed Line of Credit (CLC), the bidder must submit a granted credit line valid/effective at the date of bidding.
20.1	Additional documents to be submitted during Post-Qualification:
	a. Class A – Eligibility Documents listed on the Annex A of Certificate of PhilGEPs Registration under Platinum Membership pursuant to Section 34.3 of the Revised IRR of R.A. 9184
	b. Contract/Purchase Order and/or Notice of Award for the contracts stated in the List of all Ongoing Government & Private Contracts Including Contracts Awarded but not yet Started (NPCSF-GOODS-02);
	 c. Certification coming from the project owner/client that the performance is satisfactory as of the bidding date for all ongoing contracts stated in Form NPCSF-GOODS-02;
	d. Contract/Purchase Order for the contract stated in the Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid (Form No. NPCSF-GOODS-03)
	e. Documents to be submitted during post-qualification process as specified in TS-7.0(b) of Section VI-Technical Specifications
20.2	The licenses and permits relevant to the Project and the corresponding law requiring it as specified in the Technical Specifications, if any.
21.2	Notice to Proceed.



BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION IV - GENERAL CONDITIONS OF CONTRACT

LuzP25Z1848Se

SECTION IV

GENERAL CONDITIONS OF CONTRACT



SECTION IV - GENERAL CONDITIONS OF CONTRACT

LuzP25Z1848Se

SECTION IV – GENERAL CONDITIONS OF CONTRACT

TABLE OF CONTENTS

Clau	se No. Ti	itle	Page no.
1.	SCOPE OF CONTRACT		1
2.	ADVANCE PAYMENT AND TERMS	OF PAYMENT	1
3.	PERFORMANCE SECURITY	E 1	1
4.	INSPECTION AND TESTS	***************************************	1
5.	WARRANTY		2
6.	LIABILITY OF THE SUPPLIER		



SECTION IV - GENERAL CONDITIONS OF CONTRACT

LuzP25Z1848Se

SECTION IV – GENERAL CONDITIONS OF CONTRACT

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

Performance Security

- 3.1. Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.
- 3.2. The performance bond to be posted by the Contractor must also comply with additional requirements specified in the **SCC**.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section VI (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be



SECTION IV - GENERAL CONDITIONS OF CONTRACT

LuzP25Z1848Se

conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION V - SPECIAL CONDITIONS OF CONTRACT

LuzP25Z1848Se

SECTION V

SPECIAL CONDITIONS OF CONTRACT



LuzP25Z1848Se

SECTION V - SPECIAL CONDITIONS OF CONTRACT

GCC Clause	
1	Delivery and Documents –
	The delivery terms applicable to the Contract is DDP delivered to the project site specified in the technical specifications, in accordance with INCOTERMS. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI – Technical Specifications. The details of shipping and/or other documents to be furnished by the Supplier are as follows:
	For Goods supplied from within the Philippines
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:
	(i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
	(ii) Original and four copies of Supplier's factory test/inspection report;
	(iii) Original and four copies of the certificate of origin (for imported Goods);
	(iv) Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site;
	(v) Certificate of Completion/Inspection Report signed by the Procuring Entity's representative at the Project Site;
	(vi) Original and four copies of the Inspection Receiving Report signed by the Procuring Entity's representative at the Project Site;
	(vii) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate; and
	(viìi) Documents specified in the Technical Specifications, if any.
	For Goods supplied from abroad:
	Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by e-mail the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:

LuzP25Z1848Se

- (i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
- Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading;
- (iii) Original and four copies of Supplier's factory test/inspection report;
- (iv) Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site;
- (v) Certificate of Completion/Inspection Report signed by the Procuring Entity's representative at the Project Site;
- (vi) Original and four copies of the Inspection Receiving Report signed by the Procuring Entity's representative at the Project Site;
- (vii) Original and four copies of the certificate of origin (for imported Goods);and
- (viii) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate including all other documents specified in the Technical Specifications, if any.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is Manager - Dams Management Department.

Incidental Services -

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VII - Schedule of Requirements:

- a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.



LuzP25Z1848Se

f. Additional requirements specified in Section VI – Technical Specifications, if any.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- 2. in the event of termination of production of the spare parts:
 - advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested

The spare parts and other components required are listed in Section VI (Technical Specifications) and Section VII (Schedule of Requirements/Bid Price Schedule) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for the period specified in the Technical Specifications.

Spare parts or components shall be supplied as promptly as possible, but in any case, within three (3) months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly



LuzP25Z1848Se

provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.



LuzP25Z1848Se

	Intellectual Property Rights –			
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.			
2.2	Advance payment not to exceed fifteen percent (15%) of the contract amount shall be allowed and paid within sixty (60) calendar days from effectivity of the contract and upon the submission to and acceptance by the Procuring Entity of an irrevocable letter of credit or bank guarantee issued by a Universal or Commercial Bank. The irrevocable letter of credit or bank guarantee must be for an equivalent amount, shall remain valid until the goods are delivered, and accompanied by a claim for advance payment.			
	All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.			
	The terms of payment shall be as follows:			
	1) For Supply and Delivery Contracts:			
	(a) On Contract Effectivity: Advance payment of Fifteen percent (15%) of the total Contract Price shall be paid within sixty (60) days from effectivity of the Contract and upon submission of a claim and an irrevocable letter of credit or bank guarantee issued by a Universal or Commercial Bank for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII- Bidding Forms.			
	(b) On Delivery: Eighty percent (80%) of the Contract Price of the delivered Goods shall be considered for payment, less the total amount of advance payment, if any and other deductions. If the amount is sufficient to fully recoup the advance payment, the remainder after deductions shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents. Otherwise, the total delivery payment shall be charged against the advance payment and the remaining advance payment will be fully recouped from the succeeding claims.			
	(c) On Acceptance: The remaining twenty percent (20%) of the Contract Price of the <i>delivered Goods</i> shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days after successful test and commissioning, if required, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to			



LuzP2571848Se

issue documents (vii) and (viii) as described in the <u>SCC</u> provision on Delivery and Documents.

2) For Supply, Delivery, Installation, Test and Commissioning Contracts:

- (a) On Contract Effectivity: Advance payment of Fifteen percent (15%) of the total Contract Price shall be paid within sixty (60) days from effectivity of the Contract and upon submission of a claim and an irrevocable letter of credit or bank guarantee issued by a Universal or Commercial Bank for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII- Bidding Forms.
- (b) On Delivery: Eighty percent (80%) of the price of the delivered Goods, excluding price for installation, test and commissioning shall be considered for payment, less the total amount of advance payment, if any and other deductions. If the amount is sufficient to fully recoup the advance payment, the remainder after deductions shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents. Otherwise, the total delivery payment shall be charged against the advance payment and the remaining advance payment will be fully recouped from the succeeding claims.
- (c) On Acceptance: The remaining twenty percent (20%) of the price of the **delivered Goods** plus price for installation, test and commissioning shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days after successful test and commissioning, the Supplier shall have the right to claim payment subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.
- 3) For Supply, Delivery, Installation, Test and Commissioning Contracts where Installation, Test and Commissioning prices are included in the supply price:
 - (a) On Contract Effectivity: Advance payment of Fifteen percent (15%) of the total Contract Price shall be paid within sixty (60) days from effectivity of the Contract and upon submission of a claim and an irrevocable letter of credit or bank guarantee issued by a Universal or Commercial Bank for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII- Bidding Forms.
 - (b) On Delivery: Sixty percent (60%) of the price of the delivered Goods shall be considered for payment, less the total amount of advance payment, if any and other deductions. If the amount is sufficient to fully recoup the advance payment, the remainder after deductions shall be



LuzP25Z1848Se

paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the <u>SCC</u> provision on Delivery and Documents. Otherwise, the total delivery payment shall be charged against the advance payment and the remaining advance payment will be fully recouped from the succeeding claims.

On Acceptance: The remaining forty percent (40%) of the price of the **delivered Goods** shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days after successful test and commissioning, the Supplier shall have the right to claim payment subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the <u>SCC</u> provision on Delivery and Documents

- 3.2 1. The following must be indicated in the performance bond to be posted by the Contractor:
 - i. Company Name
 - ii. Correct amount of the Bond
 - iii. Contract/Purchase Order Reference Number
 - iv. Purpose of the Bond:

"To guarantee the faithful performance of the Principal's obligation to undertake (Contract/Purchase Order Description) in accordance with the terms and conditions of (Contract No. & Schedule/Purchase Order No.) entered into by the parties."

- The bond shall remain valid and effective until the duration of the contract (should be specific date reckoned from the contract effectivity) plus sixty (60) days after NPC's acceptance of the last delivery/final acceptance of the project.
- 3. In case of surety bond, any extension of the contract duration or delivery period granted to the CONTRACTOR shall be considered as given, and any modification of the contract shall be considered as authorized, as if with the expressed consent of the surety, provided that such extension or modifications falls within the effective period of the said surety bond. However, in the event that the extension of the contract duration or delivery schedule would be beyond the effective period of the surety bond first posted, it shall be the sole obligation of the CONTRACTOR to post an acceptable Performance Security within ten (10) calendar days after the contract duration/delivery period extension has been granted by NPC.
- 4. Other required conditions in addition to the standard policy terms issued by the Bonding Company:
 - i. The bond is a penal bond, callable on demand and the entire amount thereof shall be forfeited in favor of the Obligee upon default of the



SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION V - SPECIAL CONDITIONS OF CONTRACT

LuzP25Z1848Se

	Principal without the need to prove or to show grounds or reasons for demand for the sum specified therein;
	The amount claimed by the Obligee under this bond shall be paid in full and shall never be subject to any adjustment by the Surety;
	iii. In case of claim, the Surety shall pay such claim within sixty (60) days from receipt by the Surety of the Obligee's notice of claim/demand letter notwithstanding any objection thereto by the Principal.
4	The inspections and tests that will be conducted are specified in the Technical Specifications.



BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

SECTION VI

TECHNICAL SPECIFICATIONS

PART I – TECHNICAL SPECIFICATIONS



SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

Section VI - Technical Specifications Part I - Technical Specifications

TABLE OF CONTENTS

CLAUSI	E NO.	<u>TITLE</u>	PAGE NO
TS-1.0	GENERAL		1
TS-2.0	SCOPE OF	WORKS	1
TS-3.0	CONTRACT	PERIOD AND LOCATION	3
TS-4.0	DESIGN RE	QUIREMENTS	4
	TS-4.1 Ge	eneral	4
TS-5.0	PERFORMA	NCE REQUIREMENT	10
TS-6.0	TESTING AN	ND ACCEPTANCE CRITERIA	10
TS-7.0	DRAWINGS	AND DOCUMENTS TO BE SUBMITTED	11
TS-8.0	GUARANTE	E	12



SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

Section VI - Technical Specifications

Part I - Technical Specifications

TS-1.0 GENERAL

This specification covers the technical requirements for the Supply, Delivery, Installation, Test and Commissioning of Ten (10) Inverter Air-Conditioning (A/C) Units of Various Types and Capacities for Flood Forecasting And Warning System Division (FFWSD) Dam Offices located at Itogon, Benguet; San Manuel, Pangasinan; Norzagaray, Bulacan; and Cavinti, Laguna.

The equipment, components and materials shall be new and unused. They shall be suitable for the intended purpose and shall comply with all applicable regulations, quality and standards.

Other materials and accessories which are not specifically mentioned herein but are necessary for the proper installation and operation of the airconditioning units shall be furnished.

The Supplier shall accept full responsibility for his works including documentation, inspection, field testing, warranty provision and compliance with the applicable codes and standards and the requirements of this Specification.

Utmost care shall be strictly observed by the Supplier during the conduct of works to avoid damage of any kind to existing structure, equipment and other installation at site.

During the conduct of works, the Supplier shall provide all necessary materials to protect all affected NPC properties from damage and dirt.

In the event that any such damage, breakage or losses occur during the conduct of works, the Supplier shall repair or replace all damaged or lost items at his own expense and to the satisfaction of NPC.

TS-2.0 SCOPE OF WORKS

The scope of works shall cover the supply, delivery, installation, test and commissioning of ten (10) inverter air-conditioning (A/C) units of various types and capacities located at FFWSD Dam Offices complete with accessories and necessary appurtenances in accordance with the requirements of the technical specifications. The works shall include the construction of concrete foundations for the associated condensing units (outdoor type) and/or any modifications required for any existing foundations to be utilized.

The work shall include all and every work and service although not specifically detailed herein but are required for the complete installation and safe and reliable operation of the air-conditioning units and accessories.



SECTION VI -- TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

The works and services to be performed by the Supplier shall include, but not limited, to the following:

- a) Supply, Delivery, Installation, Test and Commissioning of the following air-conditioning units:
 - a.1) Six (6) units

 2.5 HP (20,500 kJ/Hr) rated cooling capacity (minimum) window-type, inverter-type, R-32 refrigerant, complete with drain line, brackets, steel supports, power supply cables, conduit, circuit breaker, necessary controls, accessories and other appurtenances.
 - a.2) Two (2) units

 2.5 HP (22,500 kJ/Hr) rated cooling capacity (minimum) split type, wall-mounted, inverter-type, R-32 refrigerant, complete with refrigerant piping, insulation, drain line, brackets, steel supports, power supply, cables, conduit, circuit breaker, necessary controls, accessories and other appurtenances.
 - a.3) Two (2) units 3.0 TR (34,000 kJ/Hr) rated cooling capacity (minimum) split type, floor-mounted, inverter-type, R-32 refrigerant, complete with refrigerant piping, insulation, drain line, brackets, steel supports, power supply cables, conduit, circuit breaker, necessary controls, accessories and other appurtenances.
- b) Dismantling/removal of six (6) existing window type, two (2) wall mounted, split-type, and two (2) floor mounted, split-type air-conditioning units (which will be replaced by the new units) located at the following offices:

	Angat Da	ım Office, Norz	agaray, Bulacan	
	Location	Quantity	Туре	Capacity
1.	Office	Two (2) units	Window Type	1.5 HP
	Binga	Dam Office, Ito	gon, Benguet	
2.	Office	Two (2) units	Window Type	2.0 HP
	Caliraya	a Dam Office, C	avinti, Laguna	
3.	Office	One (1) unit	Window Type	2.0 HP
٠	San Roque Da	am Office, San	Manuel, Pangasinan	
4.	Office	One (1) unit	Window Type	1.5 HP
5.	Equipment Room	Two (2) units	Split Type (Wall Mounted)	1.5 HP
6.	Office & Equipment Room	Two (2) units	Split Type (Floor Mounted)	3 TR

SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

Dismantling shall include all existing refrigerant lines and power cables, conduits, circuit breaker, drain lines and other accessories. All equipment and materials to be dismantled shall be hauled to the location designated by FFWSD Personnel.

- c) Conduct actual site inspection of the existing air-conditioning units to be replaced & new additional A/C units to be installed for better understanding and appreciation of the works to be done;
- d) Provision of qualified personnel, tools and equipment during the conduct of works;
- e) Observe safety measures at all times and provide Personal Protection Equipment (PPEs), safety signs, barricades, etc. to be used during the works:
- Restore all existing facility or structure that will be affected by the works to its original condition and to the satisfaction of the NPC;
- g) Clean-up after the completion of the works, and
- h) Submission of pertinent drawings and documents per Clause TS-7.0.

TS-3.0 CONTRACT PERIOD AND LOCATION

The contract period shall be SIXTY (60) CALENDAR DAYS reckoned from receipt of Notice to Proceed.

The equipment, materials and accessories shall be delivered, installed, tested and commissioned at Angat, Binga, Caliraya, and San Roque FFWSD Dam Offices.

Working hours shall be limited to 8:00 AM to 5:00 PM (Mondays to Fridays). After each day of work, the Supplier shall clean and restore the affected work areas to the satisfaction of NPC.

The Supplier shall be responsible for visiting the site and take particular reference to its accessibility, means of communication and transportation, and all other factors that could hamper the smooth execution of the contract.

Any and/or all expenses arising through the lack of knowledge or understanding regarding the existing conditions of the site shall be the responsibility of the Supplier and no additional payment thereof shall be made by NPC.



LuzP25Z1848Se

TS-4.0 TECHNICAL REQUIREMENTS

TS-4.1 General

The air-conditioning units (ACU) and accessories shall be designed and manufactured for maximum safety and reliability in accordance with applicable standards and regulations.

All installation, testing and adjustments shall be sole responsibility of the Supplier.

All materials such as refrigerant pipes, insulation, drain lines, steel supports, circuit breakers, automatic controls, including all power and control wires, electrical outlets, conduits and other appurtenances necessary for the complete installation and interlocking the operation of the indoor units and outdoor units shall be included and provided by the Supplier including complete system of automatic temperature controls.

Location of outdoor units shall be as directed by NPC. Foundations of existing outdoor units shall be assessed by the Supplier to determine if any modifications are required or new concrete foundations shall be constructed.

The above works shall be complete in every aspect with all necessary accessories for safe and reliable operation of the system even if not all details are expressly stated in the Specifications.

A/C units of the same type, i.e. window type, wall-mounted & floor-mounted shall be of the same brand.

Air-conditioning units shall be provided for the following areas:

<u>.</u> .	Angat Dam Office, Norzagaray, Bulacan					
:	Location	Designation	Quantity	Cooling Capacity/Unit	Туре	
1.	Office	ACU – 1 & ACU – 2	Two (2) units	2.5 HP (20,500 kJ/Hr) rated cooling capacity (Minimum)	Window Type Inverter	
Binga Dam Office, Itogon, Benguet						
2.	Office	ACU - 3 & ACU - 4	Two (2) units	2.5 HP (20,500 kJ/Hr) rated cooling capacity (Minimum)	Window Type Inverter	

SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

Cont'd...

	Caliraya Dam Office, Cavinti, Laguna							
	Location	Designation	Quantity	Cooling Capacity/Unit	Туре			
3.	Office	ACU – 5	One (1) unit	2.5 HP (20,500 kJ/Hr) rated cooling capacity (Minimum)	Window Type Inverter			
San Roque Dam Office, San Manuel, Pangasinan								
4.	Office	ACU 6	One (1) unit	2.5 HP (20,500 kJ/Hr) rated cooling capacity (Minimum)	Window Type Inverter			
5.	Equipment Room	ACU - 7 & ACU - 8	Two (2) units	2.5 HP (22,500 kJ/Hr) rated cooling capacity (Minimum)	Split Type Inverter (Wall Mounted)			
6.	Office and Equipment Room	ACU - 9 & ACU - 10	Two (2) units	3.0 TR (34,000 kJ/Hr) rated cooling capacity (Minimum)	Split Type Inverter (Floor Mounted)			

TS-4.2 **Technical Data**

TS-4.2.1 Window Type Air-Conditioning Units

1.	Designation		Туре	
	• ACU – 1 to ACU – 6	:	Window-Inverter Type	
2.	Designation		Rated Cooling Capacity	
	• ACU – 1 to ACU – 6	:	2.5 HP (20,500 kJ/Hr) rated cooling capacity (minimum)	
3.	Refrigerant Type	:	R-32	
4.	Power Supply		230 V, 60 Hz, Single Phase	
5.	Circuit Breaker Enclosure		NEMA-3R	
6.	Features	-	With 4-Way manual louver control (Up, Down, Left and Right) With timer (24hr, On/Off), Sleep Mode, Auto Restart, Auto Clean, Filter Alarm Function, and Energy Control With infrared remote control and remote control batteries	

LuzP25Z1848Se

	- With coff touch front page
	With soft touch front panel
	With room temperature digital display in
	degree centigrade (°C), Protection and
	Fan Speed (Low/Medium/High) Control
	(auto/manual)
	With Indoor Noise Level of 62 dBA
	(maximum) and Outdoor Noise Level of
	67 dBA (maximum)
	 Slide Out Washable Filter
	All hardware necessary for installation,
	User's manual, Operation & Maintenance
	Manual, Remote Controller Manual
	With Full One (1) Year Warranty from the
	date of the end-user's acceptance in care
	of the Supplier
	 With Original Manufacturer's Warranty
	Card which includes five (5) Years
	Warranty for compressor and one (1) Year
	,
	Warranty for parts and labor

TS-4.2.2 Split Type Air-Conditioning Units

1.	Designation		Туре		
	 ACU – 7 & ACU – 8 	:	Wall Mounted, Split-Inverter Type		
	● ACU - 9 & ACU - 10	:	Floor Mounted, Split-Inverter Type		
2.	Designation		Rated Cooling Capacity		
	• ACU – 7 & ACU – 8	:	2.5 HP (22,500 kJ/Hr) rated cooling capacity (minimum)		
	• ACU - 9 & ACU - 10	:	3.0 TR (34,000 kJ/Hr) rated cooling capacity (minimum)		
3.	Designation	;	Refrigerant Type		
	 ACU – 7 to ACU – 10 	;	R-32		
4.	Designation		Power Supply		
	 ACU – 7 to ACU – 10 	;	230 V, 60 Hz, Single Phase		
5.	Refrigerant Pipe Material	:	Seamless high grade copper pipe		
6.	Pipe Insulation	: _:	Closed Cell Rubber Insulation with Aluminum Braided tape		
7.	Drain Pipe Material	:	PVC		
8.	Circuit Breaker Enclosure	:	NEMA-3R		
9.	Designation		Features		
	• ACU – 7 to ACU – 10		 With 4-Way Auto Louver Swing All hardware necessary for installation, User's manual, Operation & Maintenance Manual, Remote Controller Manual With Full One (1) Year Warranty from the date of the end-user's acceptance in care of the Supplier With Original Manufacturer's Warranty Card which includes five (5) Years Warranty for compressor and one (1) Year Warranty for parts and labor 		

LuzP25Z1848Se

10.	Designation	Features
	• ACU – 7 to ACU – 8	 With Infrared remote control and LCD display With Timer With Turbo Mode and Eco Mode With Air Swing, Fan Speed Control, Humidity Control, and Operation Mode (Auto, Cool, Dry, Heat, and Fan) Sensor (AC to Eco Mode) which detects human movements. With Indoor Noise Level of 44 dBA (maximum) Smart Protection System with Intelligent Sensors to protect ACU from voltage, temperature, and current fluctuations. With PCB Coating to protect ACU from damage caused by bugs, insects, and others. With Auto Clean Function to keep the indoor coils clean and prevent mildew build up
	• ACU – 9 & ACU – 10	 20 m Long Distance Airflow Reliable special anti-corrosion coated to withstand salty air, rain, and other corrosives. With safety features With infrared remote control and remote control batteries With soft touch front panel With auto restart function, auto louver shut off, fan speed control, operation mode (fan, cool, and dry), air swing mode, and sleep mode With 2,400 m³/hr Airflow Rate With Electronic Expansion Valve (EEV) Control With Indoor Noise Level of 52 dBA (maximum)

All item or device not specifically called for in the Specification but is necessary for the safe, reliable and proper operation of the air-conditioning units shall be furnished by the Supplier. All materials shall be furnished complete with all accessories necessary to install and operate and meet the service requirements of the Specifications.

LuzP25Z1848Se

TS-4.3 Installation

TS-4.3.1 General

Utmost care shall be strictly observed by the Supplier during the conduct of works to avoid damage of any kind to existing structure, equipment and installations.

During the conduct of works, the Supplier shall provide all necessary materials to protect all affected NPC equipment and other assets from damage and dirt.

In the event that any such damage, breakage or losses occur during the conduct of works, the Supplier shall repair or replace all damaged or lost items at his own expense and to the satisfaction of NPC.

All installation works including boring through walls (if any), and field adjustments shall be done by the Supplier. The Supplier shall restore all affected works on the existing facilities to its original appearance and condition and to the satisfaction of NPC.

Final details and adjustments shall be done by the Supplier during installation to suit actual field conditions. The Supplier shall verify installations and obstructions and shall coordinate the works with other trades, new and existing, and route piping to avoid interferences.

The indoor and outdoor units shall be installed to their designated locations where the existing air-conditioning units (ACU's) are located. Installation shall be done by the Supplier in accordance with applicable codes and standards and manufacturer's instructions/recommendations.

All indoor and outdoor units shall be properly anchored/braced. All outdoor units including the floor mounted indoor units shall be provided with steel base at least 12" high. Steel base must properly anchored and painted with red oxide primer and gray finish.

A new concrete foundation for the outdoor units of split type ACU shall be constructed. Top of the foundation shall be at least 6" inches from the ground level. Detailed drawing for the foundation shall be submitted by the Supplier for NPC's review and approval.

Electrical Works shall be done in accordance with the Philippine Electrical Code (PEC). Installation of new circuit breaker of appropriate rating in NEMA-3R enclosure for each ACU, electrical power supply wiring thru uPVC conduit using THW or THWN wire of appropriate sizes, and control wiring from outdoor to indoor unit complete with fittings and all accessories (brackets/supports). All power and control cables, conduits, brackets and supports shall be new and shall be furnished by the Supplier.

The Supplier shall clean affected work places right after work and daily disposal of dismantled tiles, debris, junks, dirt garbage with proper coordination/permit from NPC.

All consumable items/materials to be used in the project such as refrigerants, soap/detergent, cleaning materials, etc., shall be provided by the Supplier.



LuzP25Z1848Se

TS-4.3.2 Refrigerant Pipes and Drain Pipes

All refrigerant pipes shall be seamless high grade copper pipe. Pipes shall be manufactured to the highest standards of quality and reliability. Pipes shall be selected to take into account the operating pressures of R-32 refrigerant.

Pipes shall be sized based on manufacturer's recommendations/instructions.

The interconnecting pipework must be installed by competent and highly-trained personnel. Method of installation shall be strictly in accordance with the manufacturer's instructions. Pipes shall be properly installed to ensure unrestricted flow of refrigerant.

The Supplier shall ensure that all interior surfaces of piping and devices shall be clean and free of all dirt, loose scale and other foreign materials before installation.

All brazed joints shall be made with dry nitrogen purge to prevent oxidation of pipe internals. Pipe internals shall be blown with dry nitrogen to remove any dust of foreign materials before connecting the pipes. After the installation of pipework and prior to the connection of outdoor units and sealing of insulation joints, the pipes shall be pressure-tested for leaks using dry nitrogen.

Piping shall be insulated with closed cell rubber insulation of approved type covered with aluminum cloth braided duct tape. Thickness of insulation shall be based on manufacturer's instructions depending on the size of pipes to be insulated.

All piping shall be completely insulated to prevent dewing on the surface of the pipe and ensure high performance of the system. Method of installation shall be strictly done in accordance with the manufacturer's instructions.

Drain piping of indoor units shall be of Polyvinyl Chloride (PVC) material of approved class.

Method of installation shall be strictly done in accordance with the manufacturer's instructions. The Supplier shall ensure that drain pipes are installed on a down-slope pitch to prevent the water from flowing back to the indoor unit. The pipe size of the common drain pipe must be large enough according to the size of connected indoor unit.

After installation, drain pipes shall be checked to ensure that water flows smoothly or whether no water leakage occurs. The drain pipes shall be tapped to the existing drain line.

No pipes and conduits shall be exposed in finished areas. All necessary drilling or chipping of concrete walls for the embedment of pipes and subsequent restoration of the damaged walls to their original conditions shall be done by the Supplier.



LuzP25Z1848Se

TS-5.0 PERFORMANCE REQUIREMENT

The air conditioning units shall operate and perform to satisfactorily meet the requirements specified in Clause TS-4.0, Technical Requirements.

TS-6.0 TESTING AND ACCEPTANCE CRITERIA

The Supplier shall perform at his own expense all inspection required to ensure adequacy of design, material, workmanship and conformance of the supplied equipment/component to the requirements of the specifications and standards.

The equipment and materials shall be subjected to the manufacturer's standard factory tests prior to delivery.

Necessary inspections at the place of delivery and installation shall also be conducted for verification/confirmation.

Upon arrival of equipment/component at site, NPC and the Supplier or their authorized representatives, shall jointly verify the equipment following the steps below:

- a) Inspection and verification of the packing list;
- b) Visual inspection of the condition of the packing and its surfaces; and
- c) Opening of the crates and plastic sheet protection of equipment/component to verify the content and its physical condition and to check pilferage or damage during shipment and storage.

A record shall be prepared carefully noting all eventual shortages, defects or damages, signed by the Supplier and concurred by NPC. All shortages and damages noted shall be immediately replaced by the Supplier at his own cost and shall ensure the timely delivery of replacement without affecting the agreed overall contract implementation schedule.

After the completion of installation works, the Supplier together with NPC authorized representative/s (witness) shall carry out functional/operational and performance tests to confirm that the equipment will operate and perform satisfactorily in accordance with the requirements of the specifications and to the satisfaction of NPC representative/s.

If the supplied equipment/component fails to pass any test, NPC may, at his own judgment, direct the Supplier to make necessary corrections or alterations for defects or order the replacement of the equipment/component as may be deemed appropriate. Any expenses due to additional tests or retests made necessary by failure of the Supplier's supplied equipment, i.e. failure to meet the requirements of the specifications, shall be borne by the Supplier.

Acceptance certificate shall be issued only upon completion of the following:

 The Supplier's scope of works as specified in Clause TS-2.0 are satisfactorily completed;



LuzP25Z1848Se

- The visual, functional/operational and performance tests are satisfactorily conducted and results are acceptable to NPC, and
- c) Submission of documents as specified hereto in Clause TS-7.0.

TS-7.0 DRAWINGS AND DOCUMENTS TO BE SUBMITTED

- a) To be submitted with the bid
 - a.1) Letter of Confirmation from the Manufacturer/Distributor that a local agent or representative is available to provide "After Sales Services" to the supplied air-conditioning units and stating his full support. Name, address and contact no./person shall be provided;
 - a.2) Manufacturer's Brochures/Catalogues which contain information/ data to adequately support the Technical Data Sheets;
 - a.3) Original copy of Manufacturer's/Distributor's Authorization to Bid directly addressed to the BAC-NPC indicating therein the PR/Reference Number with;
 - a.3.1) Certificate from a customer (end user) duly addressed to the Bidder that the supplied equipment which is similar to the item/s subject for bidding has/have performed satisfactorily in service.

Notes:

- Authorization to bid shall be current and valid for at least six (6) months from the date of bid opening as advertised.
- 2. In case of authorized distributor issuing the notarized appointment, it shall be accompanied by a certificate of Authorized Distributorship from the Manufacturer.
- a.4) Completely filled-out Technical Data Sheets;
- a.5) Work Plan and Schedule/Bar Chart;
- a.6) Certificate of Site Inspection to be signed by NPC's authorized personnel (end-user); and
- b) To be submitted before/ during delivery of equipment/component
 - b.1 "Certificate of Origin" from the Manufacturer/Distributor:
 - b.2 "Warranty Certificate" for one (1) year against factory defects/workmanship;

Note: The warranty coverage for the compressor shall be five (5) years

b.3 Installation drawings;



LuzP25Z1848Se

- b.4 Operation and Maintenance Manual including Parts List/Catalogue, Equipment Schematic Diagram and Parts Identification Drawings in three (3) copies; and
- b.5 As-Built drawings (as applicable).

All drawings and documents in Clause TS-7.0 item b, including other drawings/documents specified in Clause TS-6.0 shall be submitted to the Manager – Dams Management Department, for evaluation and/or approval prior to issuance of acceptance certificate.

TS-8.0 GUARANTEE

The Supplier shall guarantee the replacement of the supplied equipment or components at his own expense against defect in design, workmanship and materials for a period of twelve (12) months after the equipment has been installed and commissioned. However, the warranty coverage for the compressor shall be five (5) years. The Supplier guarantees that the equipment will perform in the manner as set forth in the equipment's manual and the Contract.

The Supplier shall submit a Warranty Certificate effective from the date of acceptance by NPC.

After the lapse of the warranty period, provided that there are no defects found and/or pending repair works, NPC shall release the warranty security/certificate.



LuzP25Z1848Se

SECTION VI

TECHNICAL SPECIFICATIONS

PART II - TECHNICAL DATA SHEETS



LuzP25Z1848Se

PART II – TECHNICAL DATA SHEETS MW – MECHANICAL WORKS

TABLE OF CONTENTS

SECTION	DESCRIPTION	PAGE
1.0	AIR CONDITIONING UNITS (ACU) DATA	TDS-1

SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

PART II – TECHNICAL DATA SHEETS MW – MECHANICAL WORKS

NOTES

- The Bidder shall complete this technical data sheet and submit the filled-up forms with the technical proposal. The Bidder shall use continuation sheets as necessary for any other additional information keeping to the format shown herein or by reproducing the same.
- 2. NPC reserves the right to reject Bids without proper and/or specific data and information as required herein.
- The data required are technical features and characteristics of the Equipment to be provided by the bidder. Bidder's proposal shall at least be equal or superior to the requirements specified by NPC.

LuzP25Z1848Se

M-1.0 AIR CONDITIONING DATA

ITEM	DESCRIPTION	UNIT	NPC REQUIREMENT	SUPPLIER'S DATA
M-1.1	Window Type A/C (Inverter)		2.5 HP	
M-1.1.1	Brand/Model *	-	By Supplier	
	Manufacturer		By Supplier	
	Place of Manufacturer		By Supplier	
	Total number of units	units	Six (6)	
M-1.1.2	Rated Cooling Capacity	kJ/Hr	20,500 (minimum)	
M-1.1.3	Energy Efficiency Ratio (EER)		4.0 (minimum)	
M-1.1.4	Refrigerant Type		R-32	
M-1.1.5	Power Supply		230 V, 60 Hz, Single Phase	
M-1.1.6	Power Consumption		By Supplier	
M-1.1.7	Circuit Breaker Enclosure		NEMA-3R	
M-1.1.8	Features		With 4-Way manual louver control (Up, Down, Left and Right) With timer (24hr, On/Off), Sleep Mode, Auto Restart, Auto Clean, Filter Alarm Function, and Energy Control With infrared remote control and remote control batteries With soft touch front panel With room temperature digital display in degree centigrade (°C), Protection and Fan Speed (Low/Medium/High) Control (auto/manual) Slide-Out Washable Filter With Indoor Noise Level of 62 dBA (max.) and Outdoor Noise Level of 67 dBA (max.).	

Note: * Brand/Model of the ACU to be supplied shall be included in the latest List of Issued Energy Labels for Air Conditioners under the Philippine Energy Labeling Program (PELP), as released by the Department of Energy (DOE).

LuzP25Z1848Se

M-1.0 AIR CONDITIONING DATA (Cont'd...)

ITEM	DESCRIPTION	UNIT	NPC REQUIREMENT	SUPPLIER'S DATA
			 All hardware necessary for installation, User's manual, Operation & Maintenance Manual, Remote Controller Manual With Full One (1) Year Warranty from the date of the end-user's acceptance in care of the Supplier With Original Manufacturer's Warranty Card which includes of five (5) Years Warranty for compressor and one (1) Year Warranty for parts and labor 	
M-1.2	Wall Mounted-Split Type A/C (Inverter)		2.5 HP	
M-1.2.1	Brand/Model *		By Supplier	
	Manufacturer		By Supplier	
	Place of Manufacturer		By Supplier	
	Total number of units	units	Two (2)	
M-1.2.2	Rated Cooling Capacity	kJ/Hr	22,500 (minimum)	
M-1.2.3	Energy Efficiency Ratio (EER)		3.4 (minimum)	
M-1.2.4	Refrigerant Type		R-32	""
M-1.2.5	Power Supply		230 V, 60 Hz, Single Phase	
M-1.2.6	Power Consumption		By Supplier	
M-1.2.7	Circuit Breaker Enclosure		NEMA-3R	
M-1.2.8	Refrigerant Pipe Material	:	Seamless high grade copper pipe	
M-1.2.9	Pipe Insulation	:	Closed Cell Rubber Insulation with Aluminum	
M-1.2.10	Drain Pipe Material	:	PVC	
M-1.2.11	Features		With Infrared remote control and LCD display With 4-Way Auto Louver Swing With Timer	

Note: * Brand/Model of the ACU to be supplied shall be included in the latest List of Issued Energy Labels for Air Conditioners under the Philippine Energy Labeling Program (PELP), as released by the Department of Energy (DOE).



SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

M-1.0 AIR CONDITIONING DATA (Cont'd...)

ITEM	DESCRIPTION	UNIT	NPC REQUIREMENT	SUPPLIER'S DATA
			With Turbo Mode and Eco	•
			Mode With Air Swing, Fan	
			Speed Control, Humidity	
			Control, and Operation	
			Mode (Auto, Cool, Dry,	
			Heat, and Fan)	
			Sensor which detects	
			human movements (AC to	
1			Eco Mode).	
			With Indoor Noise Level of	
			44 dBA (maximum)	
<u> </u>			Smart Protection System	
ı			with Intelligent Sensors to	
			protect ACU from voltage,	
		ł	temperature, and current	
ļ			fluctuations.	
			With PCB Coating to Protect ACU from domass.	
			protect ACU from damage	
			caused by bugs, insects, and others.	
			With Auto Clean Function	
			to keep the indoor coils	
			clean and prevent mildew	
			build up	
			All hardware necessary for	
			installation, User's manual,	
			Operation & Maintenance	
į			Manual, Remote Controller	
			Manual	
			With Full One (1) Year	
			Warranty from the date of	
			the end-user's acceptance	[
			in care of the Supplier	
			With Original	
			Manufacturer's Warranty	-
			Card which includes of five	
			(5) Years Warranty for	
			compressor and one (1)	
			Year Warranty for parts and	
			labor	

LuzP25Z1848Se

M-1.0 AIR CONDITIONING DATA (Cont'd...)

ITEM	DESCRIPTION	UNIT	NPC REQUIREMENT	SUPPLIER'S DATA
M-1.3	Floor Mounted-Split Type A/C (Inverter)		3.0 TR	
M-1.3.1	Brand/Model *		By Supplier	
	Manufacturer		By Supplier	<u> </u>
	Place of Manufacturer		By Supplier	<u> </u>
	Total number of units	units	Two (2)	
M-1.3.2	Rated Cooling Capacity	kJ/Hr	34,000 (minimum)	
M-1.3.3	Energy Efficiency Ratio (EER)		4.4 (minimum)	
M-1.3.4	Refrigerant Type		R-32	
M-1.3.5	Power Supply		230 V, 60 Hz, Single Phase	
M-1.3.6	Power Consumption		By Supplier	
M-1.3.7	Circuit Breaker Enclosure		NEMA-3R	
M-1.3.8	Refrigerant Pipe Material		Seamless high grade copper pipe	
M-1.3.9	Pipe Insulation		Closed Cell Rubber Insulation with Aluminum	
M-1.3.10	Drain Pipe Material		PVC	
M-1.3.11	Features		 20 m Long Distance Airflow With safety features With 4-Way Auto Louver Swing Reliable Indoor Heat Exchanger with Anti- Corrosion Folded Coating to withstand salty air, rain, and other corrosives. With infrared remote control and remote control batteries With soft touch front panel With soft touch front panel With auto restart function, auto louver shut off, fan speed control, operation mode (fan, cool, and dry), air swing mode, and sleep mode 	

Note: * Brand/Model of the ACU to be supplied shall be included in the latest List of Issued Energy Labels for Air Conditioners under the Philippine Energy Labeling Program (PELP), as released by the Department of Energy (DOE).



SECTION VI - TECHNICAL SPECIFICATIONS

LuzP25Z1848Se

M-1.0 AIR CONDITIONING DATA (Cont'd...)

With 2,400 m³/hr Airflow Rate With Electronic Expansion Valve (EEV) Control	ITEM	DESCRIPTION	UNIT	NPC REQUIREMENT	SUPPLIER'S DATA
With Indoor Noise Level of 52 dBA All hardware necessary for installation, User's manual, Operation & Maintenance Manual, Remote Controller Manual With Full One (1) Year Warranty from the date of the end-user's acceptance in care of the Supplier With Original Manufacturer's Warranty Card which includes of five (5) Years Warranty for compressor and one (1) Year Warranty for parts and labor				 With 2,400 m³/hr Airflow Rate With Electronic Expansion Valve (EEV) Control With Indoor Noise Level of 52 dBA All hardware necessary for installation, User's manual, Operation & Maintenance Manual, Remote Controller Manual With Full One (1) Year Warranty from the date of the end-user's acceptance in care of the Supplier With Original Manufacturer's Warranty Card which includes of five (5) Years Warranty for compressor and one (1) Year Warranty for parts and 	

BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION VII - SCHEDULE OF REQUIREMENTS

LuzP25Z1848Se

SECTION VII

SCHEDULE OF REQUIREMENTS

(BID PRICE SCHEDULE)



BID DOCUMENTS

SECTION VII - SCHEDULE OF REQUIREMENTS

SECTION VII - SCHEDULE OF REQUIREMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING 4AC, UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFWZS-014

LuzP25Z1848Se

(BID PRICE SCHEDULE)

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

			*	UNIT PR	ICE FOR GOODS AND R	ELATED SERVICES TO E	UNIT PRICE FOR GOODS AND RELATED SERVICES TO BE SUPPLIED AND DELIVERED	ERED	TOTAL PRICE
TEM NO.	DESCRIPTION	QTY UNIT	ОООШ	Unit Price of Goods Delivered up to Philippine Port (Phil. Peso)+	Import Duties & other Levies Imposed by Phil. Govt. (Phil. Peso)	Value Added Tax and other Taxes Imposed by Phil. Govt. (Phil. Peso)	Local Transport from Port to Delivery Site (Phil. Peso)	Labor (Installation, Testing and Commissioning) (Phil. Peso)>	Local Currency (Phil. Peso) ({E+F+G+H} x C)
€	(B)	(0)	(a)	(E)	(F)	(9)	(H)	(1)	(7)
: - -	Supply, Delivery, Installation, Test and Commissioning of the following air-conditioning units incuding dismantling of existing units, construction of new foundation for outside units and all other works & services as specified in the Technical Specifications:								
	2.5 HP (20,500 kJ/H) rated cooling capacity (minimum), window-type, invertar-type, R-32 refrigerant, complete with drain line, brackets, steel supports, power supply cables, conduit, circuit breaker, necessary controls, accessories and other appuntenances.	6 Units					a de la companya de l		
	2.5 HP (22,500 kJ/Hr) rated cooling capacity (minimum). split type, wall-mounted, inverter-type, R-32 refrigerant, complete with refrigerant piping, insulation, drain fine, brackets, steel supports, power supply cables, conduit, circuit breaker, necessary controls, accessories and other appurtenances.	2 Units							
	3.0 TR (34,000 kJ/Hr) rated cooling capacity (minimum), split type, floor-mounted, inverter-type, R-32 refrigerant, complete with refrigerant piping, insulation, drain line, brackets, steel supports, power supply cables, conduit, circuit breaker, necessary controls, accessories and other appurtenances.	2 Units			i				
	TOTAL				(Amount in Words)				G-

the Country of Origin of all imported	
the Country of	
code representing	priats and accessories
Bidders shall enter a code representing the	equipment, materials

Country of Origin United States

Note: Final delivery site at Angat Dam Office, Binga Dam Office, Caliraya Dam Office, and San Roque Dam Office.

Designation	
Name & Signature of Representative	
Name of Firm	

â

NATIONAL POWER CORPORATION

VII-BPS-1

Cost of equipment, freight, insurance, etc. up to Phil. port of entry Unit Price for Local Transportation, insurance and other local costs incidental to delivery of the goods from the Phil port of entry to final delivery site

BID DOCUMENTS

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

SECTION VIII

BIDDING FORMS



SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

SECTION VIII – BIDDING FORMS

TABLE OF CONTENTS

NPCSF-GOODS-01	-	Checklist of Technical and Financial Envelope Requirements for Bidders
NPCSF-GOODS-02	#	List of all Ongoing Government & Private Contracts Including Contracts Awarded but not yet Started
NPCSF-GOODS-03	-	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid
NPCSF-GOODS-04	-	Computation of Net Financial Contracting Capacity (NFCC)
NPCSF-GOODS-05	-	Joint Venture Agreement
NPCSF-GOODS-06a	-	Form of Bid Security : Bank Guarantee
NPCSF-GOODS-06b	-	Form of Bid Security : Surety Bond
NPCSF-GOODS-06c	-	Bid Securing Declaration Form
NPCSF-GOODS-07	-	Omnibus Sworn Statement (Revised)
NPCSF-GOODS-08	-	Bid Letter
Sample Form	-	Bank Guarantee Form for Advance Payment
Sample Form	_	Certification from DTI as Domestic Bidder

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form No: NPCSF-GOODS-01

Checklist of Technical & Financial Envelope Requirements for Bidders

A. THE 1ST ENVELOPE (TECHNICAL COMPONENT) SHALL CONTAIN THE FOLLOWING:

- 1. ELIGIBILITY DOCUMENTS
 - a. (CLASS A)
 - PhilGEPs Certificate of Registration and Membership under Platinum Category (all pages) in accordance with Section 8.5.2 of the Revised IRR of RA. 9184;

Note: The failure by the prospective bidder to update its Certificate with the current and updated Class "A" eligibility documents shall result in the automatic suspension of the validity of its Certificate until such time that all of the expired Class "A" eligibility documents has been updated

- > Statement of all its ongoing government and private contracts if any, whether similar or not similar in nature and complexity to the contract to be bid (NPCSF-GOODS-02)
- ➤ The Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least 50% of the ABC (NPCSF-GOODS-03) complete with the following supporting documents:
 - 1. Certificate of Acceptance; or Certificate of Completion; or Official Receipt (O.R); or Sales Invoice

(The Single Largest Completed Contract (SLCC) as declared by the bidder shall be verified and validated to ascertain such completed contract. Hence, bidders must ensure access to sites of such projects/equipment to NPC representatives for verification and validation purposes during post-qualification process.

It shall be a ground for disqualification, if verification and validation cannot be conducted for reasons attributable to the Bidder.)

- Duly signed computation of its Net Financial Contracting Capacity (NFCC) at least equal to the ABC (NPCSF-GOODS-04) or a Committed Line of Credit (CLC) at least equal to ten percent (10%) of the ABC, issued by a Universal or Commercial Bank; If the Bidder opted to submit a Committed Line of Credit (CLC), the bidder must submit a granted credit line valid/effective at the date of bidding.
- b. (CLASS B)
- For Joint Venture (if applicable), any of the following:
 - Valid Joint Venture Agreement (NPCSF-GOODS-05)

OR

- Notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA, if awarded the contract
- Certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item/product (For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos)

Page 1 of 3

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form No: NPCSF-GOODS-01

2. Technical Documents

- Bid Security, any one of the following:
 - Bid Securing Declaration (NPCSF-GOODS-06c)

OR

 Cash or Cashier's/Manager's check issued by a Universal or Commercial Bank – 2% of ABC;

OR

 Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: (NPCSF-GOODS-06a) - 2% of ABC;

OR

- Surety Bond callable upon demand issued by a reputable surety or insurance company (NPCSF-GOODS-06b) - 5% of ABC, with
 - Certification from the Insurance Commission as authorized company to issue surety
- Duly signed, completely filled-out and notarized Omnibus Sworn statement (Revised) (NPCSF-GOODS-07), complete with the following attachments:
 - For Sole Proprietorship:
 - Special Power of Attorney
 - For Partnership/Corporation/Cooperative/Joint Venture:
 - Document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)
- Documents to be submitted with the Proposal as specified in Clause TS-7.0(a) of Section VI -Technical Specifications;
- Complete eligibility documents of the proposed subcontractor, if any

B. THE 2ND ENVELOPE (FINANCIAL COMPONENT) SHALL CONTAIN THE FOLLOWING:

- Duly signed Bid Letter indicating the total bid amount in accordance with the prescribed form (NPCSF-GOODS-08)
- Duly signed and completely filled-out Schedule of Requirement (Section VII) indicating the unit and total prices per item and the total amount in the prescribed Price Schedule form.
- For Domestic Bidder claiming for domestic preference:
 - Letter address to the BAC claiming for preference
 - Certification from DTI as Domestic Bidder in accordance with the prescribed forms provided

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form No: NPCSF-GOODS-01

CONDITIONS:

- 1. Each Bidder shall submit Two (2) copies of the first and second components of its Bid, marked Original and photocopy. Only the original copy will be read and considered for the bid. Any misplaced document outside of the Original copy will not be considered. The photocopy is <u>ONLY FOR REFERENCE</u>. NPC may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.
- 2. In the case of foreign bidders, the eligibility requirements under Class "A" Documents (except for Tax Clearance) may be substituted by the appropriate equivalent documents, if any, issued by the country of the foreign bidder concerned. The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines.
 - These documents shall be accompanied by a Sworn Statement in a form prescribed by the GPPB stating that the documents submitted are complete and authentic copies of the original, and all statements and information provided therein are true and correct. Upon receipt of the said documents, the PhilGEPS shall process the same in accordance with the guidelines on the Government of the Philippines Official Merchants Registry (GoP-OMR).
- 3. A Bidder not submitting bid for reason that his cost estimate is higher than the ABC, is required to submit his letter of non-participation/regret supported by corresponding detailed estimates. Failure to submit the two (2) documents shall be understood as acts that tend to defeat the purpose of public bidding without valid reason as stated under Section 69.1.(i) of the revised IRR of R.A. 9184.

ø)
Ξ	,
ĺ.	i
3	5
Ξ)
ζ	2
Š	?
	2
12000	

SECTION VIII - BIDDING FORMS

Standard Form Number: NPCSF-GOODS-02

Business Name

List of All Ongoing Government and Private Contracts Including Contract Awarded But Not Yet Started

Business Address :		1				
			Bidder's Role	a. D	ate Awarded	
Name of Contract/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Description	% 2005	b. Date Started c. Date of Completion or Contract Duration/ Date of Delivery	Value of Outstanding Works / Undeliverec Portion
Government						
Private						
					Total Cost	

The bidder shall declare in this form all his on-going government and private contracts including contracts where the bidder (either as individual or as a Joint Venture) is a partner in a Joint Venture agreement other than his current joint venture where he is a partner. Non declaration will be a ground for disqualification of bid.

Note: This statement shall be supported with the following documents for all the contract(s) stated above which shall be submitted during Post-qualification: Contract/Purchase Order and/or Notice of Award

Certification coming from the project owner/client that the performance is satisfactory as of the bidding date.

(Printed Name & Signature)	
Submitted by	Designation Date

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN	(10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND	CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM	DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014

LuzP25Z1848Se

Standard Form Number: NPCSF-GOODS-03

SECTION VIII - BIDDING FORMS

BID DOCUMENTS

The Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid

	a. Date Awarded b. Contract Effectivity c. Date Completed	
	a.Amount at Award b.Amount at Completion c.Duration	
	Contractor's Role Description	
	Nature of Work	
	a. Owner's Name b. Address c. Telephone Nos.	
Business Name :	Name of Contract	

Notes:

1. The bidder must state only one (1) Single Largest Completed Contract (SLCC) similar to the contract to be bid.
2. Summerting documents such as any of the following: Certificate of Acceptance; or Certificate of Completion; or Official Receipt (O.R); or Sales Invoice for the contract

stated above shall be submitted during Bid Opening.		
Supporting accuments such as any of the following. Certificate of Accepta stated above shall be submitted during Bid Opening.	(Printed Name & Stonature)	
z. Supporiii stated ak	Submitted by	Designation Date

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form Number: NPCSF-GOODS-04

NET FINANCIAL CONTRACTING CAPACITY (NFCC)

A.	Summary of the Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis
	of the income tax return and audited financial statement for the immediately preceding
	calendar year are:

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

В.	The Net Financial	Contracting	Capacity	(NFCC)	based	on the	above	data	is c	computed
	as follows:									

NFCC = [(Current assets minus current fiabilities) x 15] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract for this Project.

NFCC =	P		

Herewith attached is certified true copy of the audited financial statement, stamped "RECEIVED" by the BIR or BIR authorized collecting agent for the immediately preceding calendar year.

Submitted by:	
Name of Supplier / Distributor / Manu	ufacturer
Signature of Authorized Representat	iive
Date :	

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form Number: NPCSF-GOODS-05

JOINT VENTURE AGREEMENT

That				S:	
				je, <i>(civil status)</i>	entered into by and between authorized representative o
				- and	
			, of legal age, a resident of	(civil status)	, authorized representative o
	irces a	nd efforts	rties agree to join too to enable the Joint V Contract of the Natio	enture to partic	oital, manpower, equipment, and othe ipate in the Bidding and Undertaking operation.
		NAME	OF PROJECT		CONTRACT AMOUNT
	That	t the capit	al contribution of each	n member firm:	
		NAME	OF FIRM		CAPITAL CONTRIBUTION
1. 2.				무	
					ally liable for their participation in the
be th do, e Biddi do ar	Thate Office execute ing and if pe	Undertakt both partial Represent and perfect Undertalt resonally partials this Joi	ting of the said contracties agree that sentative/s of the Joir orm any and all acts king of the said contractes or sent with full power	ct. nt Venture, and necessary and/ act, as fully and of substitution	and/or sha are granted full power and authority to or to represent the Joint Venture in the d effectively and the Joint Venture ma
be th do, e Biddi do ar	That ne Office execute ing and ind if pe That ract un	Undertakt both par ial Representation and perfect undertal resonally put this Joi til termination Representation and Representa	ting of the said contracties agree that sentative/s of the Joir orm any and all acts king of the said contractes or with full power the Venture Agreeme	ct. nt Venture, and necessary and/ act, as fully and of substitution	and/or sha are granted full power and authority to or to represent the Joint Venture in the d effectively and the Joint Venture ma and revocation.
be th do, e Biddi do ar	That ne Office execute ing and ind if pe That ract un	Undertakt both par ial Representation ally part this Joi til termina Representation all terminal termi	ties agree thatsentative/s of the Joir orm any and all acts with full power or Venture Agreemented by both parties.	ct. nt Venture, and necessary and/ act, as fully and of substitution	and/or sha are granted full power and authority to or to represent the Joint Venture in the d effectively and the Joint Venture ma and revocation. n in effect only for the above states Name & Signature of Authorized Representative

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form Number: NPCSF-GOODS-06a

FORM OF BID SECURITY (BANK GUARANTEE)

WHEREAS, (Name of Bidder)	(hereinafter called "the Bidder") has
submitted his bid dated (Date)Bid").	for the <u>[name of project]</u> (hereinafter called "the
(Name of Country) having having hereinafter called "the Bank" are bound untentity") in the sum of famount in words &	We (Name of Bank) of our registered office at to National Power Corporation (hereinafter called "the figures as prescribed in the bidding documents] for de to the said Entity the Bank binds himself, his
SEALED with the Common Seal of the said	Bank this day of 20
THE CONDITIONS of this obligation are that	at:
 if the Bidder withdraws his Bid dur Documents; or 	ing the period of bid validity specified in the Bidding
if the Bidder does not accept the accordance with the Instructions to	correction of arithmetical errors of his bid price in Bidder; or
 if the Bidder, having determined as clearance, latest income and busin within the prescribed period; or 	s the LCB, fails or refuses to submit the required tax less tax returns and PhilGEPs registration certificate
 if the Bidder having been notified of him by the Entity during the period of 	of the acceptance of his bid and award of contract to of bid validity:
 a) fails or refuses to execute the C 	ontract; or
b) fails or refuses to submit the rec	quired valid JVA, if applicable; or
c) fails or refuses to furnish the line tructions to Bidders;	ne Performance Security in accordance with the
demand, without the Entity having to subs	the above amount upon receipt of his first written tantiate its demand, provided that in his demand the it is due to the occurrence of any one or combination
	120 days after the opening of bids or as it may be ension(s) to the Bank is hereby waived. Any demand ne Bank not later than the above date.
DATE SIGNATURI	E OF THE BANK
WITNESS SEAL	
(Signature, Name and Address)	

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form Number: NPCSF-GOODS-06b

FORM OF BID SECURITY (SURETY BOND)

		Total Of Dis Occount (Concert sorte)
BOND	NO.	DATE BOND EXECUTED:
of Sure transac unto N (amous payme	ety) ot bu lation nt in ent o	ond, We (Name of Bidder) (hereinafter called "the Principal") and (Name of (Name of Country of Surety) , authorized to usiness in the Philippines (hereinafter called "the Surety") are held and firmly bound nal Power Corporation (hereinafter called "the Employer") as Obligee, in the sum of words & figures as prescribed in the bidding documents), callable on demand, for the figures well and truly to be made, we, the said Principal and Surety bind our successors and assigns, jointly and severally, firmly by these presents.
SEALE	ED w	rith our seals and dated this day of 20
		S, the Principal has submitted a written Bid to the Employer dated the day of, for the (hereinafter called "the Bid"). EREFORE, the conditions of this obligation are:
1)		ne Bidder withdraws his Bid during the period of bid validity specified in the Bidding cuments; or
2)		he Bidder does not accept the correction of arithmetical errors of his bid price in cordance with the Instructions to Bidder; or
3)	cle	he Bidder, having determined as the LCB, fails or refuses to submit the required tax arance, latest income and business tax returns and PhilGEPs registration certificate hin the prescribed period; or
4)		ne Bidder having been notified of the acceptance of his bid and award of contract to by the Entity during the period of bid validity:
	d)	fails or refuses to execute the Contract; or
	e)	fails or refuses to submit the required valid JVA, if applicable; or
	f)	fails or refuses to furnish the Performance Security in accordance with the Instructions to Bidders:

then this obligation shall remain in full force and effect, otherwise it shall be null and void.

PROVIDED HOWEVER, that the Surety shall not be:

- a) liable for a greater sum than the specified penalty of this bond, nor
- b) liable for a greater sum that the difference between the amount of the said Principal's Bid and the amount of the Bid that is accepted by the Employer.

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form Number: NPCSF-GOODS-06b Page 2 of 2

This Surety executing this instrument hereby agrees that its obligation shall be valid for 120 calendar days after the deadline for submission of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Surety is hereby waived.

PRINCIPAL	SURETY
SIGNATURE(S)	SIGNATURES(S)
NAME(S) AND TITLE(S)	NAME(S)
SEAL	SEAL

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form No: NPCSF-GOODS-06c

REPUBL	IC OF THE PHILIPPINES)	
CITY OF) S.S

BID-SECURING DECLARATION

SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014 (LuzP25Z1848Se)

To: National Power Corporation

Gabriel Y. Itchon Building Sen. Miriam P. Defensor-Santiago Ave. (formerly BIR Road) corner Quezon Avenue Diliman, Quezon City, Philippines 1100

I/We¹, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the Procuring Entity for the commission of acts resulting to the enforcement of the Bid Securing Declaration under Sections 23.1 (b), 34.2, 40.1 and 69.1, except 69.1 (f) of the IRR of R.A. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared as the bidder with the Lowest Calculated and Responsive Bid, and I/we have furnished the performance security and signed the Contract.

	IN WITNESS	WHEREOF, I/we have hereunto set my hand this	day of
20	_ at	, Philippines.	

[Name and Signature of Bidder's Representative/ Authorized Signatory] [Signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Select one and delete the other, Adopt same instruction for similar terms throughout the document.

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Standard Form No: NPCSF-GOODS-07

Omnibus Sworn Statement (Revised)

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF) S.S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or
 any form of consideration, pecuniary or otherwise, to any person or official, personnel or
 representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	1	have	hereunto	set	my	hand	this	 day	of	 20	at
		, Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

LuzP25Z1848Se

SECTION VIII - BIDDING FORMS

Standard Form No: NPCSF-GOODS-08

BID LETTER

Date:
To: THE PRESIDENT National Power Corporation Gabriel Y. Itchon Building Sen. Miriam P. Defensor-Santiago Ave. (formerly BIR Road) corner Quezon Avenue Diliman, Quezon City, Philippines 1100
Gentlemen:
Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers] , the receipt of which is hereby duly acknowledged, we, the undersigned, offer to perform SUPPLY, DELIVERY, INSTALLATION, TEST AND COMMISSIONING OF TEN (10) INVERTER AIR-CONDITIONING (A/C) UNITS OF VARIOUS TYPES AND CAPACITIES FOR FLOOD FORECASTING AND WARNING SYSTEM DIVISION (FFWSD) DAM OFFICES UNDER PR NO. HO-FFW25-014 (LuzP25Z1848Se) in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures]
or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.
We undertake, if our Bid is accepted, to supply and deliver the goods and perform other services, if required within the contract duration and in accordance with the scope of the contract specified in the Schedule of Requirements and Technical Specifications.
If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.
We agree to abide by this Bid for the Bid Validity Period specified in Bid Documents and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.
We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We certify/confirm that we comply with the eligibility requirements pursuant to the Bidding Documents.
We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of [Name of Bidder] has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the [Name of Project] of the National Power Corporation [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the [Name of Bidder] to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for [Name of Project] of the National Power Corporation. We acknowledge that failure to sign each and every page of this Bid Letter, including the
attached Schedule of Requirements (Bid Price Schedule), shall be a ground for the rejection of our bid.
[name and signature of authorized signatory] [in the capacity of]
Duly authorized to sign Bid for and on behalf of

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

Bank Guarantee Form for Advance Payment

To: THE PRESIDENT

National Power Corportion Gabriel Y. Itchon Building Sen. Miriam P. Defensor-Santiago Ave. (formerly BIR Road) corner Quezon Avenue Diliman, Quezon City, Philippines 1100

[name of Contract]

Gentlemen and/or Ladies:

In accordance with the Advance Payment Provision, of the General Conditions of Contract, [name and address of Supplier] (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of [amount of guarantee in figures and words].

We, the <u>[name of the universal/commercial bank]</u>, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding <u>[amount of guarantee in figures and words]</u>.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date the advance payment is received by the Supplier under the Contract and until the Goods are accepted by the PROCURING ENTITY.

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]	
[address]	
[date]	

SECTION VIII - BIDDING FORMS

LuzP25Z1848Se

CERTIFICATION AS A DOMESTIC BIDDER

This is to certify that based on the records of this o	ffice, (Name of Bidder) is
duly registered with the DTI on	
This further certifies that the articles forming part of	f the product of (Name of Bidder) .
which are/is (Specify)	are substantially composed of
articles, materials, or supplies grown, produced or mar	nufactured in the Philippines. (Please
encircle the applicable description/s).	
This certification is issued upon the request of (Nan	ne of Person/Entity) in
connection with his intention to participate in the bidding	for the (Name of Project)
of the National Power Corporation (NPC).	
Given this day of20 at	, Philippines
	Name
	Position
	Department of Trade & Industry