



## National Power Corporation

### REQUEST FOR QUOTATION (SHOPPING – 52 .1 b)

07 November 2024

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. **HO-TFM25-006** Ref. No. SHB241118 - RG00530 and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on **or before 9:30AM of 18 November 2024.**

The following documents must be submitted together with the quotation:

**For Platinum Members:** Valid and updated Certificate of PhilGEPS Registration (This should include the attached Annex "A" – List of Eligibility Documents. In case the Mayor's/ Business Permit in Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

**For Red Members:**

1. PhilGEPS Registration Number
2. Valid Mayor's/Business Permit

• **Other documents to be submitted:** [refer to the Terms of Reference]

In case no bid or insufficient number of bids are received on **18 November 2024**, the deadline for submission may be extended, as follows:

First (1 <sup>st</sup> ) Extension	:	_____
Second (2 <sup>nd</sup> ) Extension	:	_____
Third (3 <sup>rd</sup> ) Extension	:	_____

The Quotation and other documents required shall be submitted by the bidder to NPC through **e-mail** or **sealed quotation/offer**.

For further inquiries, please contact the BAC Secretariat, **Mr. Renz Gabriel L. Cruz** at telephone no/s. 8921-3541 loc. 5397 / Fax No. 8922-1622 with e-mail address at **renzcruz.napocor@gmail.com**.

Very truly yours,

**ATTY. MELCHOR P. RIDULME**  
Chairman, Bids and Awards Committee



BAGONG PILIPINAS





Republic of the Philippines  
**National Power Corporation**

**TERMS OF REFERENCE**  
**ALTERNATIVE MODE OF PROCUREMENT**  
**[SHOPPING – 52.1b]**

1. **Scope of Works:** PR NO(s). HO-TFM25-006/ REF NO. SHB241116 - RG 00530  
**For the SUPPLY AND DELIVERY OF ELECTRICAL SUPPLIES**

Item No.	DESCRIPTION	QTY.	ABC (PhP)
1	CABLE TIE	20 PACK	7,800.00
2	ELECTRICAL WIRE #14MM, 250 VOLTS, FLAT CORD STRANDED	3 ROLL	16,500.00
3	ELECTRICAL CIRCUIT BREAKER 15 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	5 PC	6,000.00
4	ELECTRICAL CIRCUIT BREAKER 20 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	5 PC	4,500.00
5	ELECTRICAL CIRCUIT BREAKER 20 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	5 PC	6,000.00
6	ELECTRICAL CIRCUIT BREAKER 30 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	5 PC	6,000.00
7	ELECTRICAL CIRCUIT BREAKER 15 AT 2P PLUG IN TYPE	5 PC	4,500.00
8	ELECTRICAL CIRCUIT BREAKER 30 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, PLUG IN	5 PC	4,500.00
9	ELECTRICAL PLUG MALE PLUG (HEAVY DUTY)	30 PC	2,550.00
10	ELECTRICAL WIRE 3.5 MM2 THHN, BLACK & RED	4 ROLL	20,000.00

*7*

11	LED BULB 7 WATTS, 220-240 V, E-27 BASE DAYLIGHT	40 PC	14,000.00
12	LED TUBE LIGHTING 16W, 230 VOLTS, 60HZ LAMP, LED TUBE	40 PC	28,000.00
13	OUTLET DUPLEX, WIDE SERIES, COMPLETE SET (W/BOX)	40 SET	14,000.00
14	WIRE STANDARD, THHN/THWN NO 5.5 MM	1 BOX	7,000.00
15	WIRE, FLAT CORD, 1.25 MM 2X2C (16/2C AWG), STRANDED, COPPER, 600V, 150MTS./ROLL	2 PC	8,000.00
16	CLAMP AMMETER TESTER ABSOLUTE MAX AC CURRENT MEASUREMENT 600A AC, ABSOLUTE MAX. AC VOLTAGE MEASUREMENT 600V AC, ABSOLUTE MAX. RESISTANCE MEASUREMENT 200 OHMS, AC CURRENT MEASUREMENT RESOLUTION 100MA AC, DIGITAL CLAMP ELITE	2 PC	16,000.00
TOTAL AMOUNT			165,350.00
<b>Notes:</b> <ul style="list-style-type: none"> <li>• <b>Warranty</b> shall be at least three (3) months.</li> <li>• <b>Mode of award</b> is lot award basis however, Bid Price offer should not exceed ABC per item.</li> <li>• <b>See attached for complete specifications</b></li> <li>• <b>All materials/items to be supplied by the winning bidder shall be brand new, genuine, and in its original packaging.</b></li> <li>• <b>Must indicate Brand/Model or provide brochure or specifications on your quotation.</b></li> </ul>			

**APPROVED BUDGET FOR THE CONTRACT: PhP 165,350.00**

## 2. Delivery Period

Delivery Period shall not be later than **thirty (30) Calendar Days** upon receipt of the Purchase Order / Notice to Proceed.

## 3. Delivery Point

Items shall be delivered at **NPC Head Office, Diliman, Quezon City.**

8

#### **4. Bid Submission**

The Bidder shall submit their quotations through their authorized representative or in the manner of submission as prescribed in the RFQ.

#### **5. Late Bids**

Any quotation submitted after the deadline of submission and receipt of bids shall not be accepted by NPC.

#### **6. Bid Prices**

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A quotation submitted with an adjustable price quotation shall be treated as non-responsive.

#### **7. Bid Price Validity**

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of opening of bids/quotations.

#### **8. Eligibility Criteria**

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Single/Lowest Calculated Quotation (S/LCQ).

#### **9. Detailed Evaluation and Comparison of Bids**

The S/LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

#### **10. Post-qualification**

Documents submitted for the Lowest Calculated Quotation (LCQ) will undergo a post-qualification evaluation. Original copies of these documents presented at bid opening/submission must be made available during the post-qualification process. Any quotation that successfully meets the post-qualification criteria will be declared as the Single/Lowest Calculated and Responsive Quotation (S/LCRQ).

#### **11. Total Contract Price**

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

## **12. Notice to Supplier**

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

## **13. PO Effectivity**

The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

## **14. Terms of Payment**

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

## **15. Warranty**

In order to assure that manufacturing defects shall be corrected by the supplier, a warranty shall be required from the contract awardee for a minimum period of three (3) months, in case of expendable supplies, or a minimum period of one (1) year, in case of non-expendable supplies, after acceptance by the procuring entity of the delivered supplies, unless otherwise provided in the RFQ.

## **16. Liquidated Damages**

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract , the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent(1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay but not to exceed ten percent (10%) of the total contract price. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

## **17. Liability of the Supplier**

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

## **18. Disclosure of Relations**

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure of relations.

## 19. **Administrative Sanctions**

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

## 20. **Reservation Clause**

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to the contract award, without thereby incurring any liability to the affected bidder/s.

*-----remaining spaces are intentionally left blank -----*



### SUPPLIER'S BID QUOTATION [SHOPPING – 52.1b]

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. HO-TFM25-006. I agree with the conditions of the TOR and offer the following supplies with specific description:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (Php)	TOTAL PRICE (Php)
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				

12				
13				
14				
15				
16				
<b>TOTAL BID PRICE</b>				

\_\_\_\_\_  
Name and Signature of Authorized Representative

Date \_\_\_\_\_

Company Name \_\_\_\_\_

Contact Details \_\_\_\_\_

E-mail address \_\_\_\_\_

*Note: The bidder may use this form or its own company letterhead following this format duly signed by the authorized representative when making the offer.*





## National Power Corporation


### TECHNICAL SPECIFICATION

Item No.	Complete Description	Specification
1	CABLE TIE	<ul style="list-style-type: none"><li>• 3.6mm x 200mm, plastic, (100 pcs per pack)</li></ul>
2	ELECTICAL WIRE #14MM, 250 VOLTS, FLAT CORD STRANDED	<ul style="list-style-type: none"><li>• 150m, copper, stranded</li></ul>
3	ELECTRICAL CIRCUIT BREAKER 15 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	<ul style="list-style-type: none"><li>• 15AT, 250V</li></ul>
4	ELECTRICAL CIRCUIT BREAKER 20 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, PLUG IN	<ul style="list-style-type: none"><li>• 20AT, 250V</li></ul>
5	ELECTRICAL CIRCUIT BREAKER 20 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	<ul style="list-style-type: none"><li>• 20AT, 250V</li></ul>
6	ELECTRICAL CIRCUIT BREAKER 30 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, BOLT ON	<ul style="list-style-type: none"><li>• 30AT, 250V</li></ul>
7	ELECTRICAL CIRCUIT BREAKER 15 AT 2P PLUG IN TYPE	<ul style="list-style-type: none"><li>• 15AT, 250V</li></ul>
8	ELECTRICAL CIRCUIT BREAKER 30 AT, 250 VOLTS, 2P, 60HZ CIRCUIT BREAKER, PLUG IN	<ul style="list-style-type: none"><li>• 30AT, 250V</li></ul>
9	ELECTRICAL PLUG MALE PLUG (HEAVY DUTY)	<ul style="list-style-type: none"><li>• 15A, 250V, Heavy Duty, Rubber</li></ul>
10	ELECTRICAL WIRE 3.5 MM2 THHN, BLACK & RED	<ul style="list-style-type: none"><li>• 150 meters per box, copper, stranded</li></ul>
11	LED BULB 7 WATTS, 220-240 V, E-27 BASE DAYLIGHT	<ul style="list-style-type: none"><li>• 7watts, 220-240V, E27 base, Daylight</li></ul>
12	LED TUBE LIGHTING 16W, 230 VOLTS, 60HZ LAMP, LED TUBE	<ul style="list-style-type: none"><li>• 16Watts, T5 tubelight, Daylight</li></ul>
13	OUTLET DUPLEX, WIDE SERIES, COMPLETE SET (W/BOX)	<ul style="list-style-type: none"><li>• Wide series set (with plate cover, duplex outlet, AMCO box)</li></ul>
14	WIRE STRANDED, THHN/THWN NO. 5.5 MM	<ul style="list-style-type: none"><li>• 150 meters, copper stranded</li></ul>
15	WIRE, FLAT CORD, 1.25 MM2 X 2C (16/2C AWG), STRANDED, COPPER, 600V, 150MTS./ROLL	<ul style="list-style-type: none"><li>• 150 meters, copper stranded</li></ul>
16	CLAMP AMMETER TESTER ABSOLUTE MAX AC CURRENT MEASUREMENT 600A AC, ABSOLUTE MAX. AC VOLTAGE MEASUREMENT 600V AC, ABSOLUTE MAX. RESISTANCE MEASUREMENT 200 OHMS, AC CURRENT MEASUREMENT RESOLUTION 100MA AC, DIGITAL CLAMP METE	<ul style="list-style-type: none"><li>• Function:<ul style="list-style-type: none"><li>- Voltage and Current Measurements for AC and DC</li><li>- "Non-contact Voltage" function</li><li>- Continuity and Diode Check Function</li><li>- Data Hold function</li></ul></li><li>• CAT III rating</li><li>• With Backlights</li><li>• Complete with test leads</li><li>• With jaw opening</li><li>• LED display</li><li>• Heavy Duty</li></ul>

Prepared by:

  
**Francis Perry Z. Zafe**  
P.E. A, TFMD

Noted by:

  
**Almario G. Retutal**  
Manager, TFMD