

## REQUEST FOR QUOTATION (SHOPPING – 52 .1 b)

<u>May 30, 2025</u>
Sir/Madam:
Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. <u>HO-TWT25-014 / REF NO. SHB250407-KL00126 (SHB2)</u> and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City <b>on or before</b> <u>9:30 am</u> of <u>13 June 2025</u> .
<ul> <li>The following documents must be submitted together with your quotation: For Platinum Members: <ol> <li>Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). Mayor's Permit must be updated and current. Expired Mayor's Permit will disqualify the bid. The Mayor's Permit must be uploaded as "Annex A". </li> <li>For Red or Blue Members:</li> <li>Valid Mayor's Permit</li> <li>PhilGEPS Registration Number;</li> </ol></li></ul>
In case no bid or insufficient number or bids is received on 13 June 2025, the deadline for submission may be extended, as follows:  First (1 <sup>st</sup> ) Extension  Second (2 <sup>nd</sup> ) Extension  Third (3 <sup>rd</sup> ) Extension
The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:
Approved Budget for the Contract (ABC) Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer Above Php100,000.00 up to Php1,000,000.00 - via Sealed Offer (use drop box @ procurement office)
For further inquiries, please contact the BAC Secretariat, Ms. Kristine L. Doronila at telephone no/s. 8-924-5397 with e-mail address at kclacatan@napocor.gov.ph
Very truly yours,  LARRY . SABELLINA  Vice President – Mindanao Generation Group and





Gabriel Y. Itchon Building Senator Miriam P. Defensor-Santiago Avenue (formerly BIR Road) corner Quezon Avenue, Diliman, Quezon City 1100, Philippines Tel. Nos. (632) 8921-3541 to 80 • Fax No. (632) 8921-2468 Website: www.napocor.gov.ph



Chairman, Bids and Awards Committee





### Republic of the Philippines NATIONAL POWER CORPORATION

#### TERMS OF REFERENCE ALTERNATIVE MODE OF PROCUREMENT (SHOPPING – 52.1 b)

#### 1. Scope of Works: PR NO. HO-TWT25-014/REF NO. SHB250407-KL00128 (SHB2)

For the Supply and Delivery of GPS Hand Held

Item No.	DESCRIPTION	QTY.	U/M	ABC (PhP)
1	GPS Hand Held Plan 11 PMEAD	1	UNIT	45,100.00
	TOTAL AMOUNT		romangi banna dagayakik ya dikanog	45,100.00

#### Note/s:

- a. Items to be supplied by the winning bidder should be brand new.
- b. Please refer to the attached sheets for the complete technical specifications.
- c. Warranty should be at least one (1) year.

#### APPROVED BUDGET FOR THE CONTRACT: PHP 45,100.00

#### 2. Delivery Period

Delivery Period shall not be later than 15 Calendar Days upon receipt of the Purchase Order / Notice to Proceed.

#### 3. Delivery Point

Items shall be delivered at NPC-OBC WAREHOUSE, HEAD OFFICE, DILIMAN, QUEZON CITY

#### 4. Bid Submission

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

#### 5. Late Bids

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

#### 6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

#### 7. Bid Price Validity

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

AFG-LOG-004-A02 Rev., No. 1 Page 1 of 4

#### 8. Eligibility Criteria

- Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Bid (LCQ).

#### 9. Detailed Evaluation and Comparison of Bids

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

#### 10. Post-qualification

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

The bid that PASSED the Post-Qualification shall be declared as the Single /Lowest Calculated Responsive Quotation (S/LCRQ).

#### 11 Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

#### 12. Notice to Supplier

- The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law

#### 13. PO Effectivity

a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

#### 14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

#### 15. Warranty

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty), unless specifically required in the scope of works.

#### 16. Liquidated Damages

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

#### 17. Liability of the Supplier

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

#### 18. Disclosure of Relations

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR redisclosure or relations.

#### 19 Administrative Sanctions

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

#### 20. Reservation Clause

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

TERMS OF REFERENCE (c/o KCLD)	
Shopping 52.1b (PR NO.HO-TWT25-014)	(SHB2)
Page 4 of 4	

## SUPPLIER'S BID QUOTATION (SHOPPING 52.1 b)

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. HO-TWT25-014. I agree with the conditions of the TOR and offer the following supplies with specific description.

NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1				
				The state of the s
			7	
	TOTAL BID PRICE		And a second sec	A STATE OF THE STA

Name and Signature o	of Authorized Representative
Date	
Company Name	
Contact Details	
E-mail address	4-76-19-12-22

Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer



# PURCHASE REQUISITION NO. HO-TWT25-014 TECHNICAL SPECIFICATION (Minimum Requirements)

ITEM	DESCRIPTION	SPECIFICATIONS		QUANTITY	TOTAL
1	GSP HANDHELD	Physical Dimensions	3.4" × 7.2" × 1.3"	1 UNIT	PHP 45,100.00
***************		Touchscreen	YES		1
4	F2 50	Display size	2.55"W x 4.25"H (6.48 x 10.80 cm); 5" diag (12.70 cm)		
		Display resolution	480 x 800 pixels	***************************************	
		Display type	WVGA transflective, dual orientation		· ·
and the second		Weight	14.0 oz (397 g) with included lithium-ion battery pack		
		Battery type	rechargeable lithium-ion (included) or 3 AA batteries (not - included); lithium recommended		
		Battery life	GPS Mode: up to 18 hours Expedition Mode: up to 330 hours		
		Water rating	IPX7		1
		MIL-STD-810	yes (thermal, shock, water, vibe)		
		High-sensitivity receiver	YES		
		Interface	high speed micro USB and NMEA 0183 compatible		
		Memory/History	16 GB (user space varies based on included mapping)		

#### Maps & Memory

1	Ability to add maps	1	
	Basemap		
	Automatic routing (turn by turn routing on roads) for outdoor activities	Yes (with optional mapping for detailed roads)	
	Map segments	15000	i
	BirdsEye	yes (direct to device)	
	External memory storage	yes (32-6B	The state of the s



# PURCHASE REQUISITION NO. HO-TWT25-014 TECHNICAL SPECIFICATION (Minimum Requirements)

1	V	r	nax micro	SDTM	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
				WINT I	1. 1. 12. 11.11	
-	Waynoints/favorites/location					
+						
-	IIduka			nts,		
*	Track log		250 saved tracks, 30 saved fit activities	d gpx 0		
	Routes		per route; points au	50		
	1111					
	I GPS	YES		<u> </u>		
		YES		T T		
	Compass	Yes (tilt-	ated 3-			
	GPS compass (while moving)	YES				
1	Connect IQ (downloadable watch faces, data fields,	YES				erfolfbarens, wat et er oon yn diffilijing ale se
	Smart notifications on	YES				-
	TO THE RESIDENCE OF THE PARTY O	VEC	*****			
	Pairs with Garmin Connect Mobile	YES				
	Active Weather	YES	***************************************			
d Tracking						
1	LiveTrack	YES		-	1	
Recreation						
	Point-to-point navigation	YES				
	BaseCamp	YES				
1	Area calculation	YES				
-	The state of the s	YES				
1	Sun and moon	YES				7,0000000000000000000000000000000000000
	information	-			All Committees were the committee of	The second secon
	information XERO Locations Geocaching-friendly	YES yes (Geo	cache	A 10 10 10 10 10 10 10 10 10 10 10 10 10		
	XERO Locations	yes (Geo Live) yes (500	custom			
	XERO Locations Geocaching-friendly Custom maps compatible Picture viewer	yes (Geo	custom			
	XERO Locations Geocaching-friendly Custom maps compatible	yes (Geo Live) yes (500 map tiles	custom			
	nart Featur	Tracks  Track log  Routes  GPS GLONASS Galileo Barometric altimeter Compass GPS compass (while moving)  mart Features  Connect IQ (downloadable watch faces, data fields, widgets and apps) Smart notifications on handheld VIRB Remote Pairs with Garmin Connect Mobile Active Weather  and Tracking Features  LiveTrack  Recreation  Point-to-point navigation Compatible with BaseCamp	Waypoints/favorites/locations Tracks  Tracks  Track log  Routes  GPS YES GLONASS YES Galileo YES Barometric altimeter YES Yes (tilt- compass GPS compass (while moving)  Mart Features  Connect IQ (downloadable watch faces, data fields, widgets and apps) Smart notifications on handheld VIRB Remote YES Pairs with Garmin Connect Mobile VIRB Remote YES Pairs with Garmin YES Active Weather YES Tracking Features  LiveTrack YES Recreation  Point-to-point navigation YES Recreation  Point-to-point YES	Waypoints/favorites/locations   10000	Waypoints/favorites/locations 10000 Tracks 250 Tracks 250 saved gpx tracks, 300 saved fit activities  Routes 250, 250 points per route; 50 points auto routing  GPS YES GLONASS YES Galileo YES Barometric altimeter YES Compass (while moving) YES  GPS compass (while moving) YES  Connect IQ (downloadable watch faces, data fields, widgets and apps) Smart notifications on handheld VIRB Remote YES Pairs with Garmin Connect Mobile Active Weather YES  LiveTrack YES  Recreation YES  Point-to-point navigation YES  Pass Compatible with BaseCamp Area calculation YES  Area calculation YES  250, 250 points per route; 50 points auto routing  YES  VES  VES  VES  VES  VES  VES  VES	Waypoints/favorites/locations   10000



# PURCHASE REQUISITION NO. HO-TWT25-014 TECHNICAL SPECIFICATION (Minimum Requirements)

1		Live)		
	Custom maps compatible	yes (500 custom map tiles)		
	Picture viewer	YES	10000-1-0	1
	inReach remote widget	YES		
	LED beacon flashlight	YES		
inReach Features		entrantia de la companya de la comp		
	inReach remote compatible	inReach remote compatible		
Outdoor Applications				
	Compatible with Garmin Explore app			

#### Connections

Wireless connectivity	yes (WI-FI, BLUETOOTH, ANT+)	
TOTAL		45 400 00

