

National Power Corporation

REQUEST FOR QUOTATION (SHOPPING - 52 .1 b)

	-	
30	October	・クロンム

				_

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. HO-MSD25-007 Ref. No. CHB 24111 - 126 005 15 and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on or before 9:30AMof 11 November 2024.

The following documents must be submitted together with the quotation:

For Platinum Members: Valid and updated Certificate of PhilGEPS Registration (This should include the attached Annex "A" - List of Eligibility Documents. In case the Mayor's/ Business Permit in Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

For Red Members:

- 1. PhilGEPS Registration Number
- 2. Valid Mayor's/Business Permit
- Other documents to be submitted: [refer to the Terms of Reference]

In case no bid or insufficient number of bids are received on 11 November 2024, the deadline for submission may be extended, as follows:

> First (1st) Extension Second (2nd) Extension

18 NOVEMBER 2024

Third (3rd) Extension

25 NOVEMBER 2024

The Quotation and other documents required shall be submitted by the bidder to NPC through e-mail or sealed quotation/offer.

For further inquiries, please contact the BAC Secretariat, Mr. Renz Gabriel L. Cruz at telephone no/s. 8921-3541 loc 5397 / Fax No. 8922-1622 with e-mail address at renzcruz.napocor@gmail.com.

Very truly



Gabriel Y. Itchon Building Senator Miriam P. Defensor-Santiago Avenue (formerly BIR Road) corner Quezon Avenue, Diliman 1100 Quezon City, PHILIPPINES

Tel. Nos. (632) 8921-3541 to 80 • Fax No. (632) 8921-2468

Website: www.napocor.gov.ph







Republic of the Philippines National Power Corporation

TERMS OF REFERENCE ALTERNATIVE MODE OF PROCUREMENT [SHOPPING - 52.1b]

1. Scope of Works: PR NO(s). HO-MSD25-007/ REF NO. CHB241111 - RG00515
For the SUPPLY AND DELIVERY OF CHAIN BLOCK, LEVER BLOCK AND FOUR
OTHERS.

DESCRIPTION	QTY.	ABC (PhP)
duty manual chain hoist.	2 UNIT	16,000.00
LEVER BLOCK, CHAIN HOIST Heavy Duty 2 Tonner RATCHET TYPE manual chain hoiser.	2 UNIT	16,000.00
CRIMPER Electric Multi-Function Grimper Set.	1 SET	54,000.00
GRINDER Heavy Duty 4 inches electric grinder.	2 SET	15,000.00
PUMP, HIGH PRESSURE Hydraulic Cylinder Jack.	1 SET	54,000.00
SHACKLE Heavy Duty Galvanized Shackle with lock screw.	10 PC	3,500.00
	CHAIN BLOCK (HEAVY DUTY) 2 Tonner, Heavy duty manual chain hoist. LEVER BLOCK, CHAIN HOIST Heavy Duty 2 Tonner RATCHET TYPE manual chain hoiser. CRIMPER Electric Multi-Function Grimper Set. GRINDER Heavy Duty 4 inches electric grinder. PUMP, HIGH PRESSURE Hydraulic Cylinder Jack. SHACKLE Heavy Duty Galvanized Shackle with lock	CHAIN BLOCK (HEAVY DUTY) 2 Tonner, Heavy duty manual chain hoist. LEVER BLOCK, CHAIN HOIST Heavy Duty 2 Tonner RATCHET TYPE manual chain hoiser. CRIMPER Electric Multi-Function Crimper Set. 1 SET GRINDER Heavy Duty 4 inches electric grinder. 2 SET PUMP, HIGH PRESSURE Hydraulic Cylinder Jack. 1 SET SHACKLE Heavy Duty Galvanized Shackle with lock 10 PC

PLEASE REFER TO THE ATTACHED COMPLETE TECHNICAL SPECIFICATIONS

(ANNEX "A")

TOTAL AMOUNT 158,500.00

Notes:

- Warranty shall be at least one (1) year for items 1-5 only and three (3) months for item 6.
- See attached for complete specifications
- All materials/items to be supplied by the winning bidder shall be brand new, genuine, and in its original packaging.
- Must indicate Brand/Model or provide brochure or specifications on your quotation.

APPROVED BUDGET FOR THE CONTRACT: Php 158,500,00

2. Delivery Period

Delivery Period shall not be later than thirty (30) Calendar Days upon receipt of the Purchase Order / Notice to Proceed.

3. Delivery Point

Items shall be delivered at MRMD-Brgy. Bull, Muntinlupa City.

4. Bid Submission

The Bidder shall submit their quotations through their authorized representative or in the manner of submission as prescribed in the RFQ.

AFG-LOG-004.A02; Rev. No. I Page 1 of 5



TERMS-OF REFERENCE (c/o RLC)
-[SH52-UV NP-SVP 53.9] ZPR NO.-HO-MSD2.5-007
Page 2 of 5

5. Late Bids

Any quotation submitted after the deadline of submission and receipt of bids shall not be accepted by NPC.

6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A quotation submitted with an adjustable price quotation shall be treated as non-responsive.

7. Bid Price Validity

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of opening of bids/quotations.

8. Eligibility Criteria

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Single/Lowest Calculated Quotation (S/LCQ).

9. Detailed Evaluation and Comparison of Bids

The S/LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

10. Post-qualification

Documents submitted for the Lowest Calculated Quotation (LCQ) will undergo a post-qualification evaluation. Original copies of these documents presented at bid opening/submission must be made available during the post-qualification process. Any quotation that successfully meets the post-qualification criteria will be declared as the Single/Lowest Calculated and Responsive Quotation (S/LCRQ).

11. Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

AFG-LOG-004,A02 Rev. No. 1 Page 2 of 5



12. Notice to Supplier

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

13. PO Effectivity

The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

15. Warranty

In order to assure that manufacturing defects shall be corrected by the supplier, a warranty shall be required from the contract awardee for a minimum period of three (3) months, in case of expendable supplies, or a minimum period of one (1) year, in case of non-expendable supplies, after acceptance by the procuring entity of the delivered supplies, unless otherwise provided in the RFQ.

16. Liquidated Damages

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent(1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay but not to exceed ten percent (10%) of the total contract price. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

17. Liability of the Supplier

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

18. Disclosure of Relations

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure of relations.

AFG-LOG-004.A02 Rev. No. 1 Page 3 of 5



TERMS OF REFERENCE (do RLC) (STISE 10-NP-SVP 53.9] / PR NO. HQ-MSD25-007 Page 4 of 5

19. Administrative Sanctions

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

20. Reservation Clause

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to the contract award, without thereby incurring any liability to the affected bidder/s.

----remaining spaces are intentionally left blank -----

AFG-LOG-004.A02 Rev. No. 1 Page 4 of 5



TERMS OF REFERENCE (c/o RLC): [SU\$2.1b/NU-SVP \$3.0]/PR NO.110-MSD25-007 Page 5 of 5

SUPPLIER'S BID QUOTATION [SHOPPING - 52.1b]

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. HO-MSD25-007. I agree with the conditions of the TOR and offer the following supplies with specific description:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1			7 K 1139. F .	<u> </u>
2				
3				······································
4		- (, 		
5	a a a a a a a a a a a a a a a a a a a 			
6				
	TOTAL BID PRICE	 	Marie de la companya	

Name and Signature o	of Authorized	Representative	÷
Date:			
Company Name			_
Contact Details			_
E-mail address			

Note: The bidder may use this form or its own company letterhead following this format duly signed by the authorized representative when making the offer,

AFG-LOG-004,A02 Rev. No. 1 Page 5 of 5

PR# HO-MSD25-009

1. CHAIN BLOCK

TECHNICAL SPECIFICATIONS:

Capacity (safe working load) :

Chain hoist : Manual Hoist Standard Lift : 3 meters

Standard Lift : 3 meters of the control of the cont

Safety Requirements : CE approved

2,000 kgs (2T)

2. LEVER BLOCK, CHAIN HOIST

TECHNICAL SPECIFICATIONS:

Type : Ratchet

Capacity (safe working load) : 2,000 kgs (2T)
Chain hoist : Ratchet Chain
Standard Lift : 1.5 meters

Chain pull to lift load : 314N

Safety Requirements : CE approved

3. CRIMPER - BATTERY OPERATED

TECHNICAL SPECIFICATIONS:

Working Force : 100 KN (atleast)
Crimping Range : 10mm² to 240mm²

Opening Size : 42mm (at least)
Tool Weight : 6kgs (atleast)

Charging Time : 60 – 80 minutes

Die Sizes in mm² : 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240

Safety Requirements: CE approved

4. GRINDER - ELECTRIC

TECHNICAL SPECIFICATIONS:

Power : 840 Watts (continuous power)

Wheel Diameter : 4" (100mm)
Grinding Diameter : 4" (100mm)
No Load Speed : 11,000 rpm

Dimension : 271mm x 118mm x 97mm (atleast)

Net Weight : 1.9kgs (4.2lbs) atleast Power Supply Cord : 2.5 meters (8.2 feet)

FEATURES:

- Dust proof bearings, zigzag varnish and resin coatings on motor improved durability
- Gear housing can rotate to suit most cutting and grinding applications
- High performance motor for masonry cutting and high heat resistance
- Shaft lock for easy wheel changes

- Easier repairing of gear section assembled with key.
- · Double insulation for extra durability

INCLUDES

· Depressed center wheel, lock nut wrench, grip

5. PUMP - HIGH PRESSURE HYDRAULIC CYLINDER JACK

TECHNICAL SPECIFICATIONS:

Capacity : 20 Tons

Outside Diameter (at least) : 88 mm (apprx.)
Inner Diameter (at least) : 64 mm (apprx.)
Travel (at least) : 100 mm (apprx.)
Collapse Height (at least) : 160 mm (apprx.)


Weight (at least) : 6.3 kgs (apprx.)

Pump (Manual) Long Barrel : 700kg/cm2 @900cc (apprx.)

Safety Requirements : CE approved

What's in a box

- Hydraulic Cylinder
- Hydraulic Pump
- Hydraulic Hose



6. SHACKLE

TECHNICAL SPECIFICATIONS:

Size : 3/4 Bow Shackle with threaded lock

Capacity: 4 Tons

Coated : Powdered Coated Finished

Quality : CE approved Standard : SR Performance