

NATIONAL POWER CORPORATION

REQUEST FOR QUOTATION (SHOPPING – 52 .1 b)

April 23, 2025

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. <u>HO-CRT25-003 / REF NO. SHB250307-KL00056 (SHB2)</u> and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on or before <u>9:30 am</u> of <u>07 May 2025</u>.

The following documents must be submitted together with your quotation:

- For Platinum Members:
- Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). Mayor's Permit must be updated and current. Expired Mayor's Permit will disgualify the bid. The Mayor's Permit must be uploaded as "Annex A".

For Red or Blue Members:

- 1. Valid Mayor's Permit
- 2. PhilGEPS Registration Number;

In case no bid or insufficient number or bids is received on <u>07 May 2025</u>, the deadline for submission may be extended, as follows:

First (1st) Extension Second (2nd) Extension Third (3rd) Extension

The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:

Approved Budget for the Contract (ABC)

Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer Above Php100,000.00 up to Php1,000,000.00 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, <u>Ms. Kristine L. Doronila at</u> telephone no/s. 8-924-5397 with e-mail address at *kclacatan@napocor.gov.ph*.

Very truly yours,

LARRY I. SABELLINA

Vice President – Mindanao Generation Group and Chairman, Bids and Awards Committee



NATIONAL POWER CORPORATION Gabriel Y. Itchon Building Senator Miriam P. Defensor-Santiago Avenue (formerly BIR Road) corner Quezon Avenue, Diliman, Quezon City 1100, Philippines Tel. Nos. (632) 8921-3541 to 80 • Fax No. (632) 8921-2468 Website: www.napocor.gov.ph







Republic of the Philippines NATIONAL POWER CORPORATION

TERMS OF REFERENCE ALTERNATIVE MODE OF PROCUREMENT (SHOPPING – 52.1 b)

1. Scope of Works: PR NO. HO-CRT25-003/REF NO. SHB250307-KL00056 (SHB2).

For the Supply and Delivery of Printer and Document Scanner

Item Nos.	DESCRIPTION	QTY.	U/M	ABC (PhP)
1	A3 Printer Color Printer	1	UNIT	60,000.00
2	Document Scanner Document Feeder	3	UNIT	250,000.00
	TOTAL AMOUNT			310,000.00

Note/s:

- a. Items to be supplied by the winning bidder should be brand new.
- b. Please refer to the attached sheet for the complete specifications.
- c. Warranty should be at least one (1) year).
- d. The mode of award is per item basis.

APPROVED BUDGET FOR THE CONTRACT: PHP 310,000.00

2. Delivery Period

Delivery Period shall not be later than <u>15 Calendar Days</u> upon receipt of the Purchase Order / Notice to Proceed.

3. Delivery Point

Items shall be delivered at NPC-OBC WAREHOUSE, HEAD OFFICE, DILIMAN, QUEZON CITY

4. Bid Submission

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

5. Late Bids

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

7. Bid Price Validity

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

AFG-LOG-004-A01 Rev. No. 0 Page 1 of 4 TERMS OF REFERENCE (c/o KCLD) Shopping 52.1b (PR NO.HO-CRT25-003) (SHB2) Page 2 of 4

8. Eligibility Criteria

- Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Bid (LCQ).

9. Detailed Evaluation and Comparison of Bids

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

10. Post-qualification

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

The bid that PASSED the Post-Qualification shall be declared as the Single /Lowest Calculated Responsive Quotation (S/LCRQ).

11. Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

12. Notice to Supplier

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law

13. PO Effectivity

a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

15. Warranty

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty), unless specifically required in the scope of works.

16. Liquidated Damages

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

17. Liability of the Supplier

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

18. Disclosure of Relations

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure or relations.

19. Administrative Sanctions

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

20. Reservation Clause

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

TERMS OF REFERENCE (c/o KCLD) Shopping 52.1b (PR NO.HO-CRT25-003) (SHB2) Page 4 of 4

SUPPLIER'S BID QUOTATION (SHOPPING 52.1 b)

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. <u>HO-CRT25-003.</u> I agree with the conditions of the TOR and offer the following supplies with specific description.

ITEM NOS.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1				
2				
	TOTAL BID PRICE			24

Name and Sig	nature of	Authorized	Re	presentati	ve
--------------	-----------	------------	----	------------	----

Date_

Company Name _____

Contact Details_____

E-mail address_____

Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.

M

AFG-LOG-004-A01 Rev. No. 0 Page 4 of 4

SPECIFICATIONS

PURCHASE REQUISITION NO. HO-CRT25-003

Printer, Colored			
Supports A3 size printing			
Printer Type	Wifi-Direct, Ethernet		
Maximum Resolution	600 x 600 dpi		
	Automatic 2-sided printing up to A3		
Print Speed	Ultra high page yield 7,500 pages (black) and 6,000 pages (colour)		
Fill Opeca	speed up to 25.0 ipm		
Copy Function	Maximum Copy Size: up to A3+ (for simplex)		
Copy Function	Copy resolution 600 x 600 dpi		
Memory	6MB, Page Memory		
Supported OS	Windows XP, Windows Server 2003,2008,2012 to present		
USB, Network	Ethernet, Wi-fi IEEE 802.11 b/g/n, Wi-fi Direct		
Ink	1 Set - introductory inks (complete)		
	2 Set - extra spare ink each color		

--

& 3, 4, 2025

M

×.

		ы м
Specifications		
Scanner Type		ADF (Automatic Document Feeder) / Manual Feed, Duplex
Scanning Speed 1 (A4 Portrait)		70 ppm (200/300 dpi)
(Color*2/Grayscale*2/M onochrome*3)	Duplex	140 ipm (200/300 dpi)
Image Sensor Type		CIS x 2 (front x 1, back x 1)
Light Source	e seconde a second	RGB LED x 2 (front x 1, back x 1)
Optical Resolution	Der Britter	600 dpi
Output Resolution*4 (Color/ Grayscale / Mo	ochrome)	50 to 600 dpi (adjustable by 1 dpi increments), 1,200 dpi (driver)*5
Output Format	lating I down in 199 of	Color: 24-Lit, Grayscale: 8-bit, Monochrome: 1-bit
Background Colors		White / Black (selectable)
Document Size	Maximum 6	215.9 x 355.6 mm (8.5 x 14 in.)
	Minimum	48 x 50 mm (1.9 x 2 in.)
	"Long Page Scanning 7	6,096 mm (240 in.)
Paper Weight	Paper	20 to 465 g/m ² (5.3 to 124 lb)*8
(Thickness)	Booklet	Less than 7 mm (0.276 in.)*9
Par 1 Martin Sec.	Plastic Card	1.4 mm (0.055 in.) or less*10
ADF Capacity 1#12		100 sheets (A4 80 g/m ² or Letter 20 lb)
Expected Daily Volume	1 3	10,000 sheets
Multifeed Detection		Overlap detection (Ultrasonic sensor), Length detection
Paper Protection		Image monitoring, Sound detection (iSOP)*14
Interface	USB	USB 3.2 Gen1x1 / USB 2.0 / USB 1.1
and the section of	Etherget	10BASE-T, 100BASE-TX, 1000BASE-T
Power Requirements		AC 100V - 240V 50/60 Hz
Power Consumption	Operating Mode	28 W or less / 17 W (Eco mode)
And the second of	Sleep Mode	LAN: 2.0 W or less
	Auto Standby (Off) Mode	USB: 1.4 W or less
		0.2 W or less
Operating Environment		5 to 35 °C (41 to 95 °F)
in the second second	Relative Humidity	15 to 80% (Non-condensing)
Environmental Complia		ENERGY STAR, RoHS
Dimensions (W x D x H	13	300 x 170 x 163 mm (11.8 x 6.7 x 6.4 in.)
Weight		4 kg (8.8 lb)
Supported Operating S		Windows 11*16, Windows 10*16, Windows Server 2025, Windows Server 2022, Windows Server 2019, Windows Server 2016, mac@S*17, Linux (Ubuntu)*17
Software / Drivers 19.	Contractor Contractor	PaperStream IP Driver (TWAIN/TWAIN x64/ISIS™), WIA Driver*18, Image Scanner Driver for macOS (ICA)*18, Image Scanner Driver for Linux (SANE)*18, PaperStream Capture, PaperStream ClickScan, PaperStream NX Manager, Software Operation Panel, Error Recovery Guide, ABBYY FineReader for ScanSnap™, PaperStream Central Admin
Image Processing Fund		Multi image output, Automatic color detection, Blank page detection, Dynamic threshold (iDTC), Advanced DTC, SDTC, Error diffusion, Dither, De-Screen, Emphasis, Dropout color (None/Red/Green/Blue/White/Saturation/Custom), sRGE output, Hole punch removal, Index tab cropping, Split image, De-Skew, Edge filler, Vertical streaks reduction, Background pattern removal, Cropping, Static threshold