



National Power Corporation

REQUEST FOR QUOTATION (SHOPPING – 52 .1 b)

July 25, 2022

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. **HO-MSD22-006** Ref. No. ΔHB220815 - RG 00338 and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City **on or before 9:30 AM of August 15, 2022.**

The following documents must be submitted together with your quotation:

For Platinum Members:

1. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). In case the Mayor's Permit in the said Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

For Red or Blue Members:

1. Valid Mayor's Permit
2. PhilGEPS Registration Number ;

- Other documents to be submitted: _____

In case no bid or insufficient number or bids is received on **15 August 2022**, the deadline for submission may be extended, as follows:

First (1 st) Extension	:	_____
Second (2 nd) Extension	:	_____
Third (3 rd) Extension	:	_____


The RFQ/Bid Proposal shall be submitted by the bidder to NPC on the manner of submission based on the ABC as follows:

Approved Budget for the Contract (ABC)

- Up to Php100, 000.00 - via fax/e- mail/ bid proposal to procurement officer
- Above Php100,000 up to Php1,000,000 - via Sealed Offer (use drop box @ procurement office)

For further inquiries, please contact the BAC Secretariat, **Mr. Renz Gabriel L. Cruz** at telephone no/s. 8921-3541 loc 5397 / Fax No. 8922-1622 with e-mail address at renzacruz.napocor@gmail.com.

Very truly yours,


RENE B. BARRUELA
 Chairman, Bids and Awards Committee



Management System
 ISO 9001:2015
 www.tuv.com
 ID 8106656205



Handwritten mark



Republic of the Philippines
NATIONAL POWER CORPORATION

**TERMS OF REFERENCE
ALTERNATIVE MODE OF PROCUREMENT
(SHOPPING – 52.1 b)**

1. **Scope of Works:** PRNO.HO-MSD22-006 / REF NO. SHB 220 & 10 - R600338

For the Supply and Delivery of: INSULATING MATERIALS

Item No.	DESCRIPTION	QTY.	ABC (PhP)
1	TAPE GLASS WITH ADHESIVE POLYESTER FILM, ACRYLIC ADHESIVE, (FOR ELECTRICAL USE) Dimensions: 0.055 thickness x ¾" x 66 meters	50 ROLL	PHP 75,000.00
2	TAPE KRAFT, INSULATION TAPE, 1 INCH WIDTH, 300 METERS, (FOR ELECTRICAL USE)	100 ROLL	PHP 60,000.00
3	TAPE MASKING, 48MM, 50 METERS LENGTH	100 ROLL	PHP 7,000.00
4	INSULATING VARNISH RED (FOR ELECTRICAL USE) See attached specification	25 GAL	PHP 75,000.00
5	INSULATING VARNISH CLEAR (FOR ELECTRICAL WINDING USE) See attached specification	25 GAL	PHP 75,000.00
6	VARNISH (AEROSOL – FOR ELECTRICAL USE) INSULATING, RED, MYTHELENE CHLORIDE, 700V/ MIN. TEMP =90°C (See attached specification)	50 CAN	PHP 40,000.00
7	LACING CORD POLYESTER, HIGH TENACITY CONTINUOUS FILAMENT BRAIDED POLYESTER YARN, SIZE: 0.225" W X 0.015" T X 750FT/250 YARDS (FOR ELECTRICAL USE) See attached specification	30 SPOOL	PHP 90,000.00
TOTAL AMOUNT			PHP 422,000.00

Notes:

- **Warranty: Shall be at least Three (3) Months**
- **Mode of Award is Lot Award**
- **See attached sheet for complete Technical Specification**
- **Indicate the following Terms and Conditions on the Bid Quotation:**
 - **Payment Terms**
 - **Delivery Period**
 - **Price Validity**
 - **Delivery Point**
 - **Warranty**

APPROVED BUDGET FOR THE CONTRACT: PHP 422,000.00

2. Delivery Period

Delivery Period shall not be later than **Twenty (20) calendar days** upon receipt of the Purchase Order / Notice to Proceed.

3. Delivery Point

Items shall be delivered at **NPC MRMD – Brgy. Buli, Muntinlupa City**

4. Bid Submission

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

5. Late Bids

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

6. Bid Prices

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

7. Bid Price Validity

Price Validity shall not be less than **One Hundred Twenty (120) calendar days** from date of bid submission.

8. Eligibility Criteria

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Quotation (LCQ).

9. Detailed Evaluation and Comparison of Bids

The LCQ shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

10. Post-qualification

Submitted documents of the LCQ shall be subjected to post qualification evaluation.

- PhilGEPS Certification and Mayor's/Business Permit.

The bid that PASSED the Post-Qualification shall be declared as the Lowest Calculated Responsive Quotation (LCRQ).

11. Total Contract Price

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

12. Notice to Supplier

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

13. PO Effectivity

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

14. Terms of Payment

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

15. Warranty

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty).

16. Liquidated Damages

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

17. Liability of the Supplier

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

18. Disclosure of Relations

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure of relations.

19. Administrative Sanctions

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

20. Reservation Clause

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

-----remaining spaces are intentionally left blank -----

**SUPPLIER'S BID QUOTATION
 (SHOPPING 52.1 b)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s. **HO-MSD22-006**. I agree with the conditions of the TOR and offer the following supplies with specific description:

ITEM NO.	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	QTY	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
TOTAL BID PRICE				

 Name and Signature of Authorized Representative
 Date _____

Company Name _____

Contact Details _____

e-mail address _____

Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.

COMPLETE SPECIFICATIONS OF PR NO. HO-MSD22-006

4. INSULATING VARNISH, 9700 CLEAR

- Dipping and impregnating varnish for rotating equipment
- Flexibility is far superior to competitive red sealers on both backed and air-dried films. Can take rugged rotating impact.
- Water Resistance is excellent.
- Prolonged aging doesn't crack, leaves no place for destructive agents to get in.
- Fast drying. Tack-free in about 30 minutes at room temperature, can be baked to a beautiful smooth finish.
- Heat Resistance. Can withstand continuous 135°C temperature for months.
- Prolonged Heat. After 3700 hours at 35°C, there is no change in dielectric strength.
- Toughness. High-gloss paints have a tender film. Has a low-gloss finish, designed for great resistance to abrasion
- Toughness. High-gloss paints have a tender film. Has a low-gloss finish, designed for great resistance to abrasion
- Dielectric strength is rated at 1500 volts per mil, permits thinner coating than most competitive paints.
- Arc Resistance, even with air-dried films, is 480 seconds.

5. INSULATING VARNISH, 1201 RED GLYPTAL

- Dipping and impregnating varnish for rotating equipment
- Flexibility is far superior to competitive red sealers on both backed and air-dried films. Can take rugged rotating impact.
- Water Resistance is excellent.
- Prolonged aging doesn't crack, leaves no place for destructive agents to get in.
- Fast drying. Tack-free in about 30 minutes at room temperature, can be baked to a beautiful smooth finish.
- Heat Resistance. Can withstand continuous 135°C temperature for months.
- Prolonged Heat. After 3700 hours at 35°C, there is no change in dielectric strength.
- Toughness. High-gloss paints have a tender film. Has a low-gloss finish, designed for great resistance to abrasion
- Adhesion. Stays where it's put-on metals, ceramic, porcelain, concrete, fibers and wood.
- Dielectric strength is rated at 1500 volts per mil, permits thinner coating than most competitive paints.
- Arc Resistance, even with air-dried films, is 480 seconds.

6. INSULATING VARNISH, AEROSOL 1602 RED

- Insulating Spray sealer
- Dielectric Strength 850(V/mil)
- Tack Free Time 15 minutes at 77°F (25°C)
- Hardness (pencil) 4B
- Propellant Iso-butane and propane
- Solvents Xylene, M.E.K., Acetone
- Base: Alkyd Resin
- Flash point: -50°F (-46°C)

7. LACING CORD POLYESTER

- Flat braided tape manufactured from 100% high tenacity continuous filament industrial polyester fiber.
- Heat shrinkable.
- Designed for lacing end turns for stator and rotor windings
- Dimensions : 0.225 width X 0.015 Thick X 750 ft./250 Yards