



## NATIONAL POWER CORPORATION

### REQUEST FOR QUOTATION (SMALL VALUE PROCUREMENT - 53.9)

November 13, 2024

Sir/Madam:

Please provide us with your best quotation for the items as specified in the Terms of Reference (TOR) for PR No. HO-TWT25-006 / REF NO. SVP241107-KL00497 (SVP2) and submit the same at the Bids and Contracts Services Division (BCSD), Ground Floor Diliman Quezon City on or before 9:30 am of 22 November 2024.

The following documents must be submitted together with your quotation:

1. PhilGEPS Registration, whichever is applicable:

For Platinum Members:

2. Valid and Updated Certificate of PhilGEPS Registration (This should include the attached "Annex A"). In case the Mayor's Permit in the said Annex "A" is expired, a valid/updated Mayor's Permit must also be submitted.

For Red or Blue Members:

a. Valid Mayor's Permit showing the expiry date

b. PhilGEPS Registration Number ;

3. Other documents: : Please refer to the attached ADDITIONAL TOR

Additional Documentary Requirements, if applicable:

☐ Omnibus Sworn Statement (use attached Form) (For Total ABC of Above PhP 50,000);

☐ Latest Income Tax Return / Business Tax Return (For Total ABC of Above PhP 500,000);

☐ Professional License/Curriculum Vitae (for Consulting Services only);


☐ PCAB License (for INFRA Projects only);

The Warranty Period shall be: Please refer to the attached TOR

In case of a failed bidding, a re-bidding maybe conducted without prior notice to any previous bidder(s).

For further inquiries, please contact the BAC Secretariat, Ms. Kristine L. Doronila at telephone no/s. 8-924-5397 with e-mail address at kclacatan@napocor.gov.ph.

Very truly yours,

  
**ATTY. MELCHOR P. RIDULME**  
Chairman, Bids and Awards Committee



NATIONAL POWER CORPORATION

Gabriel Y. Itchon Building

Senator Miriam P. Defensor-Santiago Avenue (formerly BIR Road)

corner Quezon Avenue, Diliman, Quezon City 1100, Philippines

Tel. Nos. (632) 8921-3541 to 80 • Fax No. (632) 8921-2468

Website: www.napocor.gov.ph





Republic of the Philippines  
NATIONAL POWER CORPORATION

**TERMS OF REFERENCE  
ALTERNATIVE MODE OF PROCUREMENT  
(SMALL VALUE PROCUREMENT – 53.9)**

1. **Scope of Works:** PR NO. HO-TWT25-006 /REF NO. SVP241107-KL00497 (SVP2)

**For the Supply, Delivery and Installation of CCTV Camera**

Item No.	DESCRIPTION	QTY.	U/M	ABC (PhP)
1	CCTV CAMERA	1	LOT	60,000.00
TOTAL AMOUNT				60,000.00

**Note/s:**

- Item to be supplied by the winning bidder should be brand new.
- Please refer to the attached sheets for the layout and specifications.
- Warranty should be at least one (1) year.

**APPROVED BUDGET FOR THE CONTRACT: PHP 60,000.00**

**2. Delivery Period**

Delivery Period shall not be later than **15 Calendar Days** upon receipt of the Purchase Order / Notice to Proceed.

**3. Delivery Point**

Items shall be delivered at **NPC Tiwi Watershed Area Team Purok 7 Cararayan, Tiwi, Albay**

**4. Bid Submission**

The Bidder shall submit their bids through their authorized representative or in the manner of submission as prescribed in the RFQ.

**5. Late Bids**

Any Bid submitted after the deadline for submission and receipt of Bids shall not be accepted by NPC.

**6. Bid Prices**

The bid price as indicated in the Quotation Form shall be fixed during the Bidder's performance of the Contract and not subject to variation or price escalation on any account. A Bid submitted with an adjustable price quotation shall be treated as non-responsive.

**7. Bid Price Validity**

Price Validity shall not be less than One Hundred Twenty (120) calendar days from date of bid submission.

## **8. Eligibility Criteria**

- a. Bids shall be checked using the PASS / FAIL Criteria for Legal, Technical and Financial components.
- b. From the bids that were rated PASSED, the same shall be ranked and corrected for computational errors to identify the Lowest Calculated Bid (LCB).

## **9. Detailed Evaluation and Comparison of Bids**

The LCB shall be subjected to detailed evaluation against the Technical Specifications including arithmetical computations. Documents which are deemed not to comply with the requirements of the tender shall be considered non-complying.

## **10. Post-qualification**

Submitted documents of the LCB shall be subjected to post qualification evaluation.

The bid that PASSED the Post-Qualification shall be declared as the Single /Lowest Calculated Responsive Bid (S/LCRB).

## **11. Total Contract Price**

The Total Contract Price shall be inclusive of all taxes and other related expenses / charges.

## **12. Notice to Supplier**

- a. The supplier shall pick-up the Purchase Order (PO)/ Notice to Proceed (NTP) from NPC within two (2) calendar days from receipt of the Notice of Award.
- b. Failure to secure the PO/NTP by the supplier within the said period will mean cancellation of the same and imposition of penalties as prescribed by law.

## **13. PO Effectivity**

- a. The PO Shall take effect immediately upon receipt of the PO / NTP by the supplier sent through fax as evidenced by the fax transmission receipt and as confirmed by the supplier's representative.

## **14. Terms of Payment**

Terms of Payment shall be thirty (30) calendar days after submission of complete supporting documents.

## **15. Warranty**

Warranty is dependent upon the nature/type of the item which is included in the offer (i.e. Manufacturer's Warranty), unless specifically required in the scope of works.



#### **16. Liquidated Damages**

Where the supplier refuses or fails to satisfactorily complete the work within the specified contract time, plus any time of extension duly granted and is hereby in default under the contract, the supplier shall pay NPC for liquidated damages, and not by way of penalty, an amount equal to at least one tenth (1/10) of one percent (1%) of the cost of the undelivered/unperformed portion of the items/works for every day of delay. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, the procuring entity may rescind or terminate the contract, without prejudice to other courses of action and remedies open to it (Section 68 of the Revised IRR of RA 9184).

#### **17. Liability of the Supplier**

If after receipt of the Purchase Order, the supplier fails to deliver the goods, appropriate sanctions will be imposed as prescribed under Republic Act (RA) 9184 and its Revised Implementing Rules and Regulations (IRR).

#### **18. Disclosure of Relations**

The bidder shall comply with the provisions of Section 47 of RA 9184 and its revised IRR re: disclosure or relations.

#### **19. Administrative Sanctions**

Bidder shall likewise be imposed the rules as stated in section 69 (Imposition of administrative penalties) should there be infractions committed.

#### **20. Reservation Clause**

NPC reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.



----- remaining spaces intentionally left blank -----

**SUPPLIER'S BID QUOTATION  
(SMALL VALUE PROCUREMENT – 53.9)**

To: The BAC Chairman:

I have read and examined the Terms of Reference for Purchase Requisition (PR) No/s.  
HO-TWT25-006 with specific descriptions, to wit:

ITEM NO.	QTY	U/M	DESCRIPTION OF ITEM / S TO BE SUPPLIED (INCLUDE BRAND NAME)	UNIT PRICE (PhP)	TOTAL PRICE (PhP)
1					
TOTAL BID PRICE					

Name and Signature of Authorized Representative

Date \_\_\_\_\_

Company Name \_\_\_\_\_

Contact Details \_\_\_\_\_

E-mail address \_\_\_\_\_

*Note: The bidder may use this form or its own company letter head following this format duly signed by the authorized representative when making the offer.*



## **CCTV SUPPLY, DELIVERY & INSTALLATION OF CCTV CAMERA**

### **Specification**

**4 pcs 2MP HDCVI IR Eyeball Camera**

**Max. 30 fps@1080p**

**CVI/CVBS/AHD/TVI switchable**

**3.6 mm fixed lens (2.8 mm, 6 mm optional)**

**Max. IR length 20 m, Smart IR**

**12 VD**

**4 pcs 2MP HDCVI IR Bullet Camera**

**Max. 30 fps@1080p**

**CVI/CVBS/AHD/TVI switchable**

**3.6 mm fixed lens (2.8 mm, 6 mm optional)**

**Max. IR length 20 m, Smart IR**

**IP67,12 VDC**

**1 pc 8 Channel Penta-brid 1080N/720p Cooper 1U 1HDD-WizSense Digital Video Recorder.**

**H.265+/H.265 dual-stream video compression**

**Supports Full channel AI-Coding**

**Supports HDCVI/AHD/TVI/CVBS/IP video inputs**

**Max 10 channels IP camera inputs, each channel up to 6MP; Max 40 Mbps incoming bandwidth**

**> Up to 4 channels video stream ( analog channel ) SMD Plus**

**Accessory:**

**8 pcs Siamese BNC Power Cables (18 meters)**

**2 pcs Desktop power adapter -AC100V~ 240V/ 12V0. 7A with 1to 4 power splitter**

### **CCTV Monitor**

**Display**

**Screen Size 21.5 Inch**

**Active Display Area 478.656 mm × 260.280 mm**

**Resolution 1920 × 1080@60 Hz**

**Backlight E-LED**

**Pixel Pitch 0.0831 mm (H) × 0.241 mm (V)**

**Brightness 250 cd/m<sup>2</sup>**

**Viewing Angle 178° (H) / 178° (V)**

**Color Depth 8 bit**

**Contrast Ratio 3000 : 1**

**Response Time 6.5 ms**

**Refresh Rate Max. 75Hz , Typ. 60 Hz**

**Haze Haze 25%, 3H**

**Reliability 7 × 16 H**

**Color Gamut 72% NTSC**

**Interface**

**Video & Audio Input HDMI 1.4 × 1, VGA × 1**



Video & Audio OutputNone

Data Transmission InterfaceNone

Control InterfaceNone

Power

Power SupplyDC 12V, 2.0A

Power Consumption24 W

Standby Consumption0.5 W

General

Casing MaterialPlastic

VESA75 mm × 75 mm (4 – M4 × 6 mm)

Bezel Width6.85 mm (top/left/right), 21.55 mm (bottom)

Product Dimensions (W × H × D)492.4mm (W) × 390.1mm (H) × 200.2mm (D) mm

Package Dimensions (W × H × D)599mm (W) × 393mm (H) × 109 mm (D)

Net Weight2.08 ± 0.5 kg

Gross Weight3.4 ± 0.5 kg

Packing ListMonitor × 1, Base component × 1, Power adapter (12 V, 2.0 A) × 1, HDMI cable (1.5 m) × 1, User manual × 1, Multilingual manual × 1

RemarksIf the appearance and parameters in this specification vary from the actual product, the later prevails. You can also consult local sale staff.

Working Environment

Working Temperature0°C to 40 °C (32 °F to 104 °F)

Working Humidity10% to 90% RH (Non-Condensing)

Storage Temperature-20 °C to 60 °C (-4 °F to 140 °F)

Storage Humidity0% to 90% RH

